

Cross Reference for Gauges

Del City	Stewart Warner	Description
4000001	130B114D	Core Kit, .130" dia, LH Wind, 114" long
4000002	130B81D	Core Kit, .130" dia, LH Wind, 81" long
4000003	235A-D	Fuel Pump, Elec, 12V Pos/Neg Gnd, 5 psi, 1/8" Intern PT (Superseded by 82089)
4000004	235B-D	Fuel Pump, Elec, 6V Pos/Neg Gnd, 5 psi, 1/8" Intern PT
4000005	279A	Sdr, Press, 80 psi, 240-33.5Ohm, 1/8" PT, Stud Term
4000006	279B-F	Sdr, Press, 100 psi, 240-33.5Ohm, 1/8" PT, Stud Term
4000007	279C	Sdr, Press, 150 psi, 240-33.5Ohm, 1/8" PT, Stud Term
4000008	279D	Sdr, Press, 60 psi, 240-33.5Ohm, 1/8" PT, Stud Term
4000009	280EA	Sdr, Tmp, Kit, 100-240 °F, 1/8" NPTF, 5/8" Hex, adptrs: 1/4" 3/8" 1/2" PT
4000010	280EC	Sdr, Tmp, Kit, 100-230 °F, 1/8" NPTF, 5/8" Hex, adptrs: 1/4" 3/8" 1/2" PT
4000011	280ED-F	Sdr, Tmp, Kit, 100-280 °F, 1/8" NPTF, 5/8" Hex, adptrs: 1/4" 3/8" 1/2" PT
4000012	280EE-F	Sdr, Tmp, Kit, 140-320 °F, 1/8" NPTF, 5/8" Hex, adptrs: 1/4" 3/8" 1/2" PT
4000013	280EH-F	Sdr, Tmp, Drain Plug, 1/2-20 UNF Threads
4000014	284A	Ga, Amm, Elec, HD, 60-0-60, 2-1/16", Internal Shunt
4000015	284AA	Ga, Amm, Elec, HD, 100-0-100, 2-1/16", Requires Shunt
4000016	284AD	Ga, Amm, Elec, HD, 150-0-150, 2-1/16", Requires Shunt
4000017	284AE	Ga, Press, Oil, Elec, HD, 0-80psi, 2-1/16"
4000018	284AF	Ga, Tmp, Water, Elec, HD, 100-230F, 2-1/16"
4000019	284AH	Ga, Vac, Mech, HD, 0-30Hg, 2-1/16"
4000020	284AJ	Ga, Volt, Elec, HD, 20-32V, 2-1/16"
4000021	284AM	Ga, Press, Fuel, Elec, HD, 0-16psi, 2-1/16"
4000022	284B144	Ga, Tmp Water, Mech, HD, 100-265F, 2-1/16", 144" Tube
4000023	284B36	Ga, Tmp Water, Mech, HD, 100-265F, 2-1/16", 36" Tube
4000024	284B72	Ga, Tmp Water, Mech, HD, 100-265F, 2-1/16", 72" Tube
4000025	284BF	Ga, Boost, Mech, HD, 0-30/0-15, 2-1/16", Red Pointer
4000026	284BP	Ga, Trim, Elec, HD, 2-1/16"
4000027	284BR	Ga, Fuel Level, Elec, HD, 73Ohm, 2-1/16"
4000028	284BS	Ga, Fuel Level, Elec, HD, 90Ohm, 2-1/16"
4000029	284C144	Ga, Tmp, Oil, Mech, HD, 140-325F, 2-1/16", 144" Tube
4000030	284C36	Ga, Tmp, Oil, Mech, HD, 140-325F, 2-1/16", 36" Tube
4000031	284C72	Ga, Tmp, Oil, Mech, HD, 140-325F, 2-1/16", 72" Tube
4000032	284D	Ga, Press, Oil, Mech, HD, 5-100psi, 2-1/16"
4000033	284H	Ga, Volt, Elec, HD, 10-16V, 2-1/16"
4000034	284J	Ga, Tmp, Water, Elec, HD, 100-280F, 2-1/16"
4000035	284K	Ga, Tmp, Oil, Elec, HD, 140-320F, 2-1/16"
4000036	284L	Ga, Press, Oil, Elec, HD, 0-100psi, 2-1/16"
4000037	284M	Ga, Fuel Level, Elec, HD, 240Ohm, 2-1/16"
4000038	284N	Ga, Press, Air, Mech, HD, 5-100psi, 2-1/16"
4000039	284P	Ga, Press, Oil, Mech, HD, 10-200psi, 2-1/16"
4000040	284R	Ga, Press, Trans Oil, Mech, HD, 20-300psi, 2-1/16"
4000041	284S	Ga, Press, Trans Oil, Mech, HD, 25-400psi, 2-1/16"
4000042	284T	Ga, Press, Air, Elec, HD, 0-150psi, 2-1/16"
4000043	288A	Panel, 1-Hole, 2-1/16", Noryl Plastic, Blk
4000044	289F-F	Bracket, L Type, 3-3/8" Hole, Steel, Flat Blk
4000045	289H-F	Cup, Mntg, 5", Blk ABS, SS Strap, Blk Aluminum Base
4000046	301AW	2-1/6" Fuel Level, 240-33.5 Ohms Custom DLX, Blk. w/Green Line (E)
4000047	306BB	2-1/16" Oil Pressure 0-80 Psi., Custom DLX, Blk. w/Green Line (E)
4000048	311CC	2-1/16" Water Temp 60-240F, Custom DLX, Blk. w/Green Line (E)
4000049	329-M	HM, Bracket, 2-13/16"
4000050	334AA-D	Sdr, Tmp, 100-280 °F, 1/4" NPTF, 5/8" Hex
4000051	334AB-D	Sdr, Tmp, 100-280 °F, 3/8" NPTF, 3/4" Hex
4000052	334AD-D	Sdr, Tmp, 100-280 °F, 1/2" NPTF, 7/8" Hex
4000053	334H-D	Sdr, Tmp, 100-280 °F, 1/8" NPTF, 5/8" Hex
4000054	334K-D	Sdr, Tmp, Dual, 100-230 °F, 1/4" NPTF, 5/8" Hex
4000055	334L-D	Sdr, Tmp, Dual, 100-230 °F, 3/8" NPTF, 3/4" Hex
4000056	334M-D	Sdr, Tmp, Dual, 100-230 °F, 1/2" NPTF, 7/8" Hex
4000057	334N-D	Sdr, Tmp, 100-230 °F, 1/4" NPTF, 5/8" Hex
4000058	334P-D	Sdr, Tmp, 100-230 °F, 3/8" NPTF, 3/4" Hex
4000059	334R-D	Sdr, Tmp, 100-230 °F, 1/2" NPTF, 7/8" Hex

Del City	Stewart Warner	Description
4000060	359CE	2-1/16" Ammeter 60-0-60 Amps, Custom DLX, Blk. w/Green Line (E)
4000061	360DP	2-1/16" Oil Press 0-100 Psi., Custom DLX, Blk. w/Green Line (M)
4000062	361AT	2-1/16" Water Temp 6' 100-250F, Custom DLX, Blk. w/Green Line (M)
4004035	361AT72	2-1/16" Water Temp 6' 100-250F, Custom DLX, Blk. w
4000063	362AH-D	Sdr, Tmp, 100-240°F, 1/2" NPTF, 7/8" Hex
4000064	362AJ-D	Sdr, Tmp, 100-240°F, 3/8" NPTF, 3/4" Hex
4000065	362AN-D	Sdr, Tmp, 100-240°F, 1/4" NPTF, 5/8" Hex
4000066	362BB-D	Sdr, Tmp, Dual, 100-240°F, 1/2" NPTF, 7/8" Hex
4000067	362CZ-D	Sdr, Tmp, 100-240°F, 1/8" NPTF, 5/8" Hex
4000068	362DA-D	Sdr, Tmp, REV B
4000069	364K-F	Switch, Press, 15 psi, 1/8" PT, Voltage Independent
4000070	364L-F	Switch, Press, 6 psi, 1/8" PT, Voltage Independent
4000071	366ACN	Warning Flashers, Module Housing, Holds 4 Flashers
4000072	366ACY	Clust, 4-Ga, DLX, 5" Dia, VM, Fuel Level, Water Tmp, Oil Press
4000073	366ACY-1	Clust, 4-Ga, DLX, 5" Dia, VM, Fuel Level, Water Tmp, Oil Press, Wht Dial
4000074	366ADB	Sdr, Speed, Ford Quick Disconnect Adptr For 82623B Sdr
4000075	366ADH	Clust, 4-Ga, DLX, 5" Dia, VM, Fuel Level, Wat Tmp, Oil Press, WNG Logo
4000076	366ADJ	Clust, 4-Ga, DLX, 5" Dia, VM, Fuel Level, Water Tmp, Oil Press, Wht Dial
4000077	366ADK	Clust, 4-Ga, DLX, 5" Dia, VM, Fuel Level, Water Tmp, Oil Press, Beige Dial
4000078	366CH	Light Kit, 5/8", 12V, 1" Long Metal Socket, One Wire, Mntg Bracket
4000079	366FK-F	Light Kit, 5/8", 12V, 1" Long Metal Socket, One Wire
4000080	366HM-F	Kit, Tube, 16ft, 1/8" Fem PT & 1/8" Male PT Nuts, 1/4" Adapt Nut
4000081	366LP-F	Sdr, Fuel Level, Instal Kit, Flange, Gasket, 5 Washers, 5 Screws
4000082	366MP-F	Cup, Mntg, 2-5/8", Blk, Strap, Base, Hardware
4000083	366ST-F	Adptr Kit, Metric, 1 M10x1 & 1 M12x1.5 & 1 M14x1.5, For Press Sdr
4000084	366SX	Light Kit, 5/8", 12V, 1" Long Plastic Socket, Two Wire
4000085	366SX24	Light Kit, 5/8", 24V, 1" Long Plastic Socket, Two Wire
4000086	366SZ	Light Kit, 5/8", 12V, 1" Long Plastic Socket, One Wire
4000087	366TJ	Light/Buzzer, Warning Kit, with 364L-F and 83307 Switches
4000088	366WL	Speed, Mech, DLX, 0-10MPH, 2.9" dia, 108" Flexshaft, Tire Take-off, Mntg
4000089	375T	2-1/16" Voltmeter 10-16V, Custom DLX, Blk. w/Green Line (E)
4000090	385AB-P	Sdr, Fuel Level, 240Ohm, 4.5-24", RH, Stud Term, Spade Term Gnd
4000091	385B-F	Sdr, Fuel Level, 240Ohm, 6-12", LH, Stud Term
4000092	385C-F	Sdr, Fuel Level, 240Ohm, 6-12", RH, Stud Term
4000093	386C-F	Sdr, Fuel Level, 240Ohm, 6-12", RH, Pack Conn
4000094	3888-M	HM, Dampener, 3-7/8" Dia, 3-hole, DC
4000095	391A-F	Sdr, Fuel Level, 240Ohm, 10-15", LH, Stud Term
4000096	391B-F	Sdr, Fuel Level, 240Ohm, 10-15", RH, Stud Term
4000097	391C-D	Sdr, Fuel Level, 240Ohm, 15.5-24", LH, Stud Term
4000098	391D-D	Sdr, Fuel Level, 240Ohm, 15.5-24", RH, Stud Term
4000099	391PX-D	Sdr, Fuel Level, 240Ohm, 27-36", RH, Stud Term
4000100	392RX-D	Sdr, Fuel Level, 240Ohm, 6-12", LH, Low Level Switch, Pack Conn
4000101	392RY-D	Sdr, Fuel Level, W/LOW LEVEL SWITCH 10-15" RH
4000102	392RZ-D	Sdr, Fuel Level, W/LOW LEVEL SWITCH 15-24" LH
4000103	392SA-D	Sdr, Fuel Level, 240Ohm, 15.5-24", RH, Low Level Switch, Pack Conn
4000104	400-FL	Flasher, Hobbs, 12V, 2 Blade Term, No Ears, Incl Conversn Kit
4000105	403-FL	Flasher, Hobbs, 12V, 3 Blade Term, No Ears
4000106	486-M	HM, BRACKET
4000107	530DH	3-3/8" 160 MPH Custom DLX Elec. Speedometer, Blk. w/ Green Line (E)
4000108	531CC	3-3/8" 8,000 RPM Custom DLX Tach, Blk. w/ Green Line (E)
4000109	535AH-D	Tach, Mech, DLX, 9000RPM, 3/3-8", .5:0
4000110	535AK-D	Tach, Mech, HD, 9000RPM, 3/3-8", .5:1
4000111	550BP-D	Speed, Mech, DLX, 0-160MPH, 3-3/8", Odo
4000112	550HF-D	Speed, Mech, HD, 0-80MPH, 3-3/8", Odo, High Beam
4000113	550KM	Speed, Mech, DLX, 0-10MPH, 2.9" dia, Odo
4000114	551AHK-D	Tach, Mech, HD, 3500RPM, 3/3-8", .5:1
4000115	551AHL-D	Tach, Mech, HD, 3500RPM, 3/3-8", HM, .5:1
4000116	558-M	HM, Bracket & Dampener, 4" x 5-1/8", DC Only
4000117	690TM	2-5/8" Voltmeter 10-16V, Custom DLX, Blk. w/Green Line (E)
4000118	690W	2-5/8" Ammeter 60-0-60 Amps, Custom DLX, Blk. w/Green Line (E)

Del City	Stewart Warner	Description
4000119	691BS	2-5/8" Oil Press 0-100 Psi., Custom DLX, Blk. w/Green Line (M)
4000120	692H	2-5/8" Water Temp 6' 100-250F, Custom DLX, Blk. w/Green Line (M)
4004034	692H72	2-5/8" Water Temp 6' 100-250F, Custom DLX, Blk. w
4000121	843	WASHER
4000122	844	Drive Joint 666, 2 Washers, Part of Kit 82901
4000123	1870	BUSHING
4000124	3322-M	HM, RETAINER
4000125	3323-M	HM, RETAINER
4000126	11012	BUSHING
4000127	13053	PIN
4000128	13116	Drive Joint 666, 2 Pins, Part of Kit 82901
4000129	13144	Drive Joint 666, Gasket, Part of Kit 82901
4000130	13610-01	Flasher, Hobbs, 24V, 2 Blade Terms, Ears
4000131	13787	Drive Joint 777/666, Intermediate Shaft, Part of Kit 82901/82903
4000132	13798	SHAFT
4000133	13909	Tip Comp, .150" Core, .293 Tang, 2" Long, 1-9/16" Cut Comp
4000134	14477	Drive Joint 666, Case (Shaft), Part of Kit 82901
4000135	15202	Drive Joint 666, 10 Drive Shaft, Part of Kit 82951
4000136	15204	Drive Joint 666, Sleeve, Part of Kit 82901
4000137	15544	Flasher, Hobbs, 12V
4000138	15550-01	Flasher, Hobbs, 24V, 3 Blade Terms, Ears
4000139	15570-01	Flasher, Hobbs, 12V, 2 Blade Terms, Ears
4000140	15571-01	Flasher, Hobbs, 12V, 3 Blade Terms, Ears, Sub for 15513-01
4000141	18606	CASE ASSM
4000142	18648	GEAR
4000143	18649	GEAR
4000144	20001-17	HM, AC, Hobbs, 108-132VAC, 60Hz, Screw Term, 2-hole Mnt, Rect
4000145	20007-17	HM, AC, Hobbs, 216-264VAC, 60Hz, Screw Term, 2-hole Mnt, Rect
4000146	20016-14	HM, AC, Hobbs, 108-132VAC, 50Hz, Screw Term, 3-hole Mnt
4000147	20017-14	HM, AC, Hobbs, 108-132VAC, 60Hz, Screw Term, 3-hole Mnt
4000148	20018-14	HM, AC, Hobbs, 216-264VAC, 50Hz, Screw Term, 3-hole Mnt
4000149	20019-14	HM, AC, Hobbs, 216-264VAC, 60Hz, Screw Term, 3-hole Mnt
4000150	20028-17	HM, AC, Hobbs, 108-132VAC, 50Hz, Screw Term, 2-hole Mnt, Rect
4000151	20029-17	HM, AC, Hobbs, 216-264VAC, 50Hz, Screw Term, 2-hole Mnt, Rect
4000152	20034-17	HM, AC, Hobbs, 108-132VAC, 50Hz, 7" Leads, 2-hole Mnt, Rect
4000153	20035-17	HM, AC, Hobbs, 108-132VAC, 60Hz, 7" Leads, 2-hole Mnt, Rect
4000154	20036-17	HM, AC, Hobbs, 216-264VAC, 50Hz, 7" Leads, 2-hole Mnt, Rect
4000155	20037-17	HM, AC, Hobbs, 216-264VAC, 60Hz, 7" Leads, 2-hole Mnt, Rect
4000156	20042-14	HM, AC, Hobbs, 108-132VAC, 50Hz, 7" Leads, 3-hole Mnt
4000157	20085-17	HM, AC, Hobbs, 22-26VAC, 60Hz, Screw Term, 2-hole Mnt, Rect
4000158	20115-23	HM, AC, Hobbs, 108-132VAC, 60Hz, Screw Term, Sq Retainer Mnt
4000159	20116-23	HM, AC, Hobbs, 108-132VAC, 60Hz, Screw Term, Rect Retainer Mnt
4000160	20468-100	Casing, Bulk Outer, .445", No Vinyl Cover, Galv. Steel
4000161	23944	HM, Bracket, Angle, 2-hole Mnt
4000162	26502	VAC. SW. WATER
4000163	26503	Switch, Vac, 5000 Srs, 28" H2O, NO, Dual Circuit
4000164	32912	Tip Comp, .187" Core, .203 Tang, 2" Long, 1-5/16" Cut Comp
4000165	33710	Tip Comp, .130" Core, .203 Tang, 1" Long, 9/16" Cut Comp
4000166	33711	CLUTCH REV E
4000167	33833	GEAR
4000168	33861	GEAR
4000169	34318	GEAR
4000170	36589	NUT
4000171	36833	TIP
4000172	37683	Tip Comp, .150" Core, .124 Sq, 1-5/32" Long, 23/32" Cut Comp
4000173	38962	GEAR
4000174	39041	Tip Comp, .187" Core, .203 Tang Hole, 1-13/16" Long
4000175	60457	Tip Comp, .130" Core, .124 Sq, 1-7/16" Long, 1" Cut Comp
4000176	60462	FERRULE
4000177	61065	GEAR, DR, REV L

Del City	Stewart Warner	Description
4000178	61602	GEAR, REV H1
4000179	62829	GEAR, REV H1
4000180	62830	GEAR, DR, REV K2
4000181	63121	CAP REV T
4000182	63317	Tip Comp, .130" Core, .203 Tang, 1-3/16" Long, 3/4" Cut Comp
4000183	63684	Tip Comp, .130" Core, .152 Tang, 1-5/32" Long, 23/32" Cut Comp
4000184	64339	Tip Comp, .150" Core, .187 Tang, 2" Long, 1-9/16" Cut Comp
4000185	64572	COLLAR REV D
4000186	64601	GEAR, REV H1
4000187	64701	Drive Joint 666, 10 Driven Shaft, Part of Kit 82951
4000188	65001	TIP REV G
4000189	65002	Tip Comp, .150" Core, .104 Sq, 1-1/2" Long, 1-1/16" Cut Comp
4000190	65658	Tip Comp, .150" Core, .104 Sq, 1-5/32" Long, 23/32" Cut Comp
4000191	68457	SHAFT
4000192	69503	Drive Joint 666, 6 Driven Shaft, Part of Kit 82951
4000193	69795	PLUG REV G
4000194	69930	FERRULE REV M
4000195	70510-11	Lamp, Repl, Wide Flood, 12V, 50W, 4A, 5" Rnd, Halgn
4000196	70596	GEAR, DR, REV S2
4000197	70729-11	Lamp, Repl, Trap, 12V, 50W, 4A, 5" Rnd, Halgn
4000198	70744	Lamp, Flush Mnt, 12V, 50W, Trap Beam, 2-1/4" Male Blades
4000199	71017-11	Lamp, Repl, Wide Flood, 12V, 50W, 4A, 4" x 6", Halgn
4000200	71723-23	Lamp Asmbly, Mrn, Flood, 12V, 50W, 4A, 4" x 6", Halgn, Stud Mnt
4000201	71791-11	Lamp, Repl, Narrow Flood, 12V, 50W, 4A, 4" x 6", Halgn
4000202	71792-11	Lamp, Repl, Trap, 12V, 50W, 4A, 4" x 6", Halgn
4000203	71794-11	Lamp, Repl, Spot, 12V, 50W, 4A, 4" x 6", Halgn
4000204	71898-11	Lamp Asmbly, Wide Flood, 12V, 50W, 4A, 4" x 6", Halgn
4000205	71902-11	Lamp Asmbly, Spot, 12V, 50W, 4A, 4" x 6", Halgn
4000206	71915-11	Lamp Asmbly, Trap, 12V, 50W, 4A, 4" x 6", Halgn
4000207	72030	Sdr, Fuel Level, Gasket, Neoprene
4000208	72108-15	Lamp, Repl, Mrn, Flood, 12V, 50W, 4A, 4" x 6", Halgn
4000209	72408-11	Lamp, Repl, Wide Flood, 12V, 50W, 4A, 3" x 5", Halgn
4000210	72446	Adptr, REV X
4000211	72446-F	Adptr, Nut, Steel, 5/8"-18 ID to 3/8" NPTF OD
4000212	72530-23	Lamp Asmbly, Mrn, Flood, 24V, 60W, 2.5A, 4" x 6", Halgn, Stud Mnt
4000213	72540-11	Lamp Asmbly, Wide Flood, 24V, 60W, 2.5A, 4" x 6", Halgn
4000214	72541-11	Lamp, Repl, Wide Flood, 24V, 60W, 2.5A, 4" x 6", Halgn
4000215	72542-11	Lamp Asmbly, Trap, 24V, 60W, 2.5A, 4" x 6", Halgn
4000216	72543-11	Lamp, Repl, Trap, 24V, 60W, 2.5A, 4" x 6", Halgn
4000217	72544-11	Lamp Asmbly, Spot, 24V, 60W, 2.5A, 4" x 6", Halgn
4000218	72545-11	Lamp, Repl, Spot, 24V, 60W, 2.5A, 4" x 6", Halgn
4000219	72573-11	Lamp, Repl, Narrow Flood, 12V, 50W, 4A, 3" x 5", Halgn
4000220	72656-23	Lamp Asmbly, Mrn, Flood, 12V, 50W, 4A, 4" x 6", Halgn, Flush Mnt
4000221	72666-23	Lamp Asmbly, Mrn, Flood, 24V, 60W, 2.5A, 4" x 6", Halgn, Flush Mnt
4000222	72715-23	Lamp Asmbly, Mrn, Spot, 12V, 50W, 4A, 4" x 6", Halgn, Flush Mnt
4000223	72716-23	Lamp Asmbly, Mrn, Spot, 12V, 50W, 4A, 4" x 6", Halgn, Stud Mnt
4000224	72717-23	Lamp Asmbly, Mrn, Spot, 24V, 60W, 2.5A, 4" x 6", Halgn, Flush Mnt
4000225	72718-23	Lamp Asmbly, Mrn, Spot, 24V, 60W, 2.5A, 4" x 6", Halgn, Stud Mnt
4000226	72719-15	Lamp, Repl, Mrn, Spot, 12V, 50W, 4A, 4" x 6", Halgn
4000227	72720-15	Lamp, Repl, Mrn, Spot, 24V, 60W, 2.5A, 4" x 6", Halgn
4000228	72728-15	Lamp, Repl, Mrn, Flood 24V, 60W, 2.5A, 4" x 6", Halgn
4000229	72769	Lamp, Flush Mnt, 12V, 50W, Flood Beam, 2-1/4" Male Blades
4000230	72801-11	Lamp, Repl, Trap, 12V, 50W, 4A, 3" x 5", Halgn
4000231	73468-11	Lamp Asmbly, Wide Flood, 12V, 50W, 4A, 5" Rnd, Halgn
4000232	73469-11	Lamp Asmbly, Trap, 12V, 50W, 4A, 5" Rnd, Halgn
4000233	73470-11	Lamp Asmbly, Spot, 12V, 50W, 4A, 5" Rnd, Halgn
4000234	73591	SWITCH, ADJUSTABLE, PRESSURE
4000235	73620-01	Lamp Asmbly, Mrn, Flood, 12V, 50W, 4A, 3" x 5", Halgn, Flush Mnt
4000236	73761-11	Lamp Asmbly, Wide Flood, 12V, 50W, 4A, 3" x 5", Halgn
4000237	73762-11	Lamp Asmbly, Narrow Flood, 12V, 50W, 4A, 3" x 5", Halgn

Del City	Stewart Warner	Description
4000238	73763-11	Lamp Asmby, Trap, 12V, 50W, 4A, 3" x 5", Halgn
4000239	73764-11	Lamp Asmby, Spot, 12V, 50W, 4A, 3" x 5", Halgn
4000240	73804-11	Lamp, Repl, Spot, 12V, 50W, 4A, 3" x 5", Halgn
4000241	73871-01	Lamp, INCAN FL
4000242	74001-11	Lamp Asmby, Narrow Flood, 12V, 50W, 4A, 4" x 6", Halgn
4000243	74041-01	Lamp Repl, Mrn, Flood, 12V, 50W, 4A, 3" x 5", Halgn
4000244	74371-01	Lamp, 6V TRAP
4000245	74432	GEAR, REV H2
4000246	74437	GEAR, REV K
4000247	74439	GEAR, REV J2
4000248	74449	GEAR, DRIVEN, REV H2
4000249	74527	GEAR, REV E1
4000250	74547	GEAR, REV H2
4000251	74549	GEAR, REV J
4000252	74958-4	DRIVE TIP, REV AD
4000253	74965	SHAFT REV H2
4000254	75109-11	Lamp Asmby, Narrow Flood, 24V, 60W, 2.5A, 4" x 6", Halgn
4000255	75237-11	Lamp Asmby, Hi-Lo Driving, 12V, 35/60W, 3/5A, 4" x 6", Halgn
4000256	75251-11	Lamp, Repl, Hi-Lo Driving, 12V, 35/60W, 3/5A, 4" x 6", Halgn
4000257	76051	Switch, Press, 5000 Srs, 2 psi, NO, Sngl Circuit, 2 Term
4000258	76052	Switch, Press, 5000 Srs, 15 psi, NO, Sngl Circuit, 2 Term
4000259	76053	Switch, Press, 5000 Srs, 35 psi, NO, Sngl Circuit, 2 Term
4000260	76054	Switch, Press, 5000 Srs, 60 psi, NO, Sngl Circuit, 2 Term
4000261	76055	Switch, Press, 5000 Srs, 100 psi, NO, Sngl Circuit, 2 Term
4000262	76056	Switch, Press, 5000 Srs, 2 psi, NO, Blade Term
4000263	76061	Switch, Press, 5000 Srs, 2 psi, NC, Sngl Circuit, 2 Term
4000264	76062	Switch, Press, 5000 Srs, 15 psi, NC, Sngl Circuit, 2 Term
4000265	76063	Switch, Press, 5000 Srs, 35 psi, NC, Sngl Circuit, 2 Term
4000266	76064	Switch, Press, 5000 Srs, 60 psi, NC, Sngl Circuit, 2 Term
4000267	76065	Switch, Press, 5000 Srs, 100 psi, NC, Sngl Circuit, 2 Term
4000268	76071	Switch, Press, 5000 Srs, 2 psi, NO, Dual Circuit, 3 Term
4000269	76072	Switch, Press, 5000 Srs, 15 psi, NO, Dual Circuit, 3 Term
4000270	76073	Switch, Press, 5000 Srs, 35 psi, NO, Dual Circuit, 3 Term
4000271	76074	Switch, Press, 5000 Srs, 60 psi, NO, Dual Circuit, 3 Term
4000272	76075	Switch, Press, 5000 Srs, 100 psi, NO, Dual Circuit, 3 Term
4000273	76575	Switch, Press, 5000 Srs, 4 psi, NO, Sngl Circuit, 2 Term
4000274	76576	Switch, Press, 5000 Srs, 10 psi, NO, Sngl Circuit, 2 Term
4000275	76577	Switch, Press, 5000 Srs, 4 psi, NC, Sngl Circuit, 2 Term
4000276	76578	Switch, Press, 5000 Srs, 10 psi, NC, Sngl Circuit, 2 Term
4000277	76579	Switch, Press, 5000 Srs, 4 psi, NO, Dual Circuit, 3 Term
4000278	76580	Switch, Press, 5000 Srs, 10 psi, NO, Dual Circuit, 3 Term
4000279	76583	Switch, Press, 5000 Srs, 4 psi, NO, Blade Term
4000280	76586	Switch, Press, 5000 Srs, 10 psi, NC, Blade Term
4000281	77342-04	Switch, Vac, 5000 Srs, 4" Hg, NO, Sngl Circuit, 2 Term
4000282	77342-09	Switch, Vac, 5000 Srs, 9" Hg, NO, Sngl Circuit, 2 Term
4000283	77342-17	Switch, Vac, 5000 Srs, 17" Hg, NO, Sngl Circuit, 2 Term
4000284	77342-28	Switch, Vac, 5000 Srs, 28" H2O, NO, Sngl Circuit, 2 Term
4000285	77343-04	Switch, Vac, 5000 Srs, 4" Hg, NC, Sngl Circuit, 2 Term
4000286	77343-09	Switch, Vac, 5000 Srs, 9" Hg, NC, Sngl Circuit, 2 Term
4000287	77343-17	Switch, Vac, 5000 Srs, 17" Hg, NC, Sngl Circuit, 2 Term
4000288	77343-28	Switch, Vac, 5000 Srs, 28" H2O, NC, Sngl Circuit, 2 Term
4000289	77861	Lamp Asmby, Wide Flood-Tog Swtch, 12V, 50W, 4A, 3" x 5", Halgn
4000290	78076	GEAR, REV C1
4000291	78142	Switch, Press, 5000 Srs, 2 psi, NO, Sngl Circuit, 1 Term
4000292	78143	Switch, Press, 5000 Srs, 4 psi, NO, Sngl Circuit, 1 Term
4000293	78144	Switch, Press, 5000 Srs, 10 psi, NO, Sngl Circuit, 1 Term
4000294	78145	Switch, Press, 5000 Srs, 15 psi, NO, Sngl Circuit, 1 Term
4000295	78146	Switch, Press, 5000 Srs, 35 psi, NO, Sngl Circuit, 1 Term
4000296	78147	Switch, Press, 5000 Srs, 60 psi, NO, Sngl Circuit, 1 Term
4000297	78148	Switch, Press, 5000 Srs, 100 psi, NO, Sngl Circuit, 1 Term

Del City	Stewart Warner	Description
4000298	78149	Switch, Press, 5000 Srs, 2 psi, NC, Sngl Circuit, 1 Term
4000299	78150	Switch, Press, 5000 Srs, 4 psi, NC, Sngl Circuit, 1 Term
4000300	78151	Switch, Press, 5000 Srs, 10 psi, NC, Sngl Circuit, 1 Term
4000301	78152	Switch, Press, 5000 Srs, 15 psi, NC, Sngl Circuit, 1 Term
4000302	78153	Switch, Press, 5000 Srs, 35 psi, NC, Sngl Circuit, 1 Term
4000303	78154	Switch, Press, 5000 Srs, 60 psi, NC, Sngl Circuit, 1 Term
4000304	78155	Switch, Press, 5000 Srs, 100 psi, NC, Sngl Circuit, 1 Term
4000305	78300	Switch, Press, 3 psi, NO, Screw Term
4000306	78628	Switch, Press, 5000 Srs, 1 psi, NO, Sngl Circuit, 2 Term
4000307	78629	Switch, Press, 5000 Srs, 1 psi, NO, Blade Term
4000308	78630	Switch, Press, 5000 Srs, 1 psi, NO, Sngl Circuit, 1 Term
4000309	78632	Switch, Press, 5000 Srs, 1 psi, NC, Sngl Circuit, 2 Term
4000310	78634	Switch, Press, 5000 Srs, 1 psi, NC, Sngl Circuit, 1 Term
4000311	78711	Switch, Press, 5000 Srs, 1 psi, NO, Dual Circuit, 3 Term
4000312	78712	Switch, Press, 5000 Srs, 1 psi, NC, Dual Circuit, Blade Term
4000313	78744-1	SLEEVE REV X
4000314	78856-11	Lamp, Repl, Narrow Flood, 24V, 60W, 2.5A, 4" x 6", Halign
4000315	78869	Tip Comp, .150" Core, .203 Tang Hole, 1-9/16" Long
4000316	79380	Switch, Boot, Press/Vac, 5000 Srs
4000317	79550	Lamp, Emergency, 12VDC, 18Ft Cable, Retractable Reel
4000318	80364	Lamp, Handle For Port, Mag Base (Works With Any SW Lamp)
4000319	80413	Lamp, Port Flood, Mag Base, Handle, 15ft Cable, Halign
4000320	80470	Lamp, Port Warn, Mag Base, Flash Rate 60-120 Cycles/min, 6" Leads
4000321	80510	Lamp, Port Spot, Mag Base, Handle, 15ft Cable, Halign
4000322	82050	Fuel Pump, Elec, 12V Neg Gnd, 7 psi, 1/4" Intern PT (Superseded by 82091)
4000323	82051	Fuel Pump, Elec, 12V Neg Gnd, 5 psi, 1/4" Intern PT (Superseded by 82095)
4000324	82052	Fuel Pump, Elec, 12V Pos/Neg Gnd, 5 psi, 1/4" Intern PT, Dbl Insul (Superseded by 82091)
4000325	82053	Fuel Pump, Elec, Gasoline, Service Kit, Gasket, Filter Element
4000326	82054	Fuel Pump, Elec, 24V Pos/Neg Gnd, 5 psi, 1/4" Intern PT (Superseded by 82093)
4000327	82055	Fuel Pump, Elec, Mrn, 12V Pos/Neg Gnd, 7 psi, 1/4" Intern PT (Superseded by 82092)
4000328	82057	Fuel Pump, Elec, Mrn, 12V Pos/Neg Gnd, 4 psi, 1/4" Intern PT (Superseded by 82094)
4000329	82058	Fuel Pump, Elec, Diesel, Service Kit, Gasket, Filter Element
4000330	82089	Fuel Pump, Elec, 12V Neutral Ground, 7psi, 1/8-27 NPSF
4000331	82091	Fuel Pump, Elec, 12V Neutral Ground, 8 psi, 1/4-18 NPSF
4000332	82092	Fuel Pump, Elec, 12V Neutral Ground, 8 psi, 1/4-18 NPSF, Marine Use
4000333	82093	Fuel Pump, Elec, 24V Neutral Ground, 8 psi, 1/4-18 NPSF
4000334	82094	Fuel Pump, Elec, 12V Neutral Ground, 4 psi, 1/4-18 NPSF, Marine Use
4000335	82095	Fuel Pump, Elec, 12V Neutral Ground, 6 psi, 1/4-18 NPSF
4000336	82960	Service kits for (82091, 82095, 82093, 82092, 82094, 82089)
4000337	82108	Ga, Amm, Elec, DLX, 60-0-60, 2-1/16", Internal Shunt, Mrn
4000338	82109	Ga, Amm, Elec, DLX, 60-0-60, 2-1/16", Requires Shunt, Mrn
4000339	82110	Ga, Amm, Elec, DLX, 100-0-100, 2-1/16", Requires Shunt, Mrn
4000340	82111	Ga, Fuel Level, Elec, DLX, 240Ohm, 2-1/16", Mrn
4000341	82112	Ga, Volt, Elec, DLX, 10-16V, 2-1/16", Mrn
4000342	82113	Ga, Press, Oil, Elec, DLX, 0-80psi, 2-1/16", Mrn
4000343	82114	Ga, Tmp, Water, Elec, DLX, 100-240F, 2-1/16", Mrn
4000344	82115	Ga, Tmp, Oil, Elec, DLX, 100-280F, 2-1/16", Mrn
4000345	82116	Ga, Press, Oil, Elec, DLX, 0-100psi, 2-1/16", Mrn
4000346	82117	Ga, Vac, Mech, DLX, 0-30Hg, 2-1/16", Mrn
4000347	82120	Ga, Press, Drive Oil, Mech, DLX, 20-300psi, 2-1/16", Mrn
4000348	82121	Ga, Press, Drive Oil, Mech, DLX, 25-400psi, 2-1/16", Mrn
4000349	82124	Ga, Trim, Elec, DLX, 2-1/16", Mrn
4000350	82130	Ga, Press, Water, Mech, DLX, 2-30psi, 2-1/16", Mrn
4000351	82131	Ga, Fuel Level, BT2 FUEL KIT REV C
4000352	82132	Ga, Press, Elec, BT2 PRESS KIT REV C
4000353	82133	Ga, Tmp, Elec, BT2 Tmp KIT REV C
4000354	82134	Ga, Volt, Elec, BT2 VOLT KIT REV D
4000355	82135	Ga, Trim, Elec, BT2 TRIM KIT REV C
4000356	82136	Ga, Press, Drive Oil, Elec, DLX, 0-400psi, 2-1/16", Mrn, Dual Scale
4000357	82153	Speed, Mech, DLX, 10-60MPH, 3-3/8", Mrn

Del City	Stewart Warner	Description
4000358	82162	Tach, Elec, Gas/Ign, DLX, 6000RPM, 3-3/8", HM, 4 6 8 Cyl, 12 Pole
4000359	82162B	Tach, Elec, Gas/Ign, DLX, 6000RPM, 3-3/8", 4 6 8 Cyl
4000360	82163	Tach, Elec, Gas/Ign, DLX, 8000RPM, 3-3/8", 4 8 12 Cyl, 20 Pole
4000361	82164	Tach, ELEC, KIT REV B
4000362	82164B	Tach, Elec, Gas/Ign, HD, 6000RPM, 3-3/8", 4 6 8 Cyl
4000363	82165	Tach, Elec, Gas/Ign, HD, 8000RPM, 3-3/8", 4 8 12 Cyl
4000364	82170	Tach, Elec, Gas/Ign, DLX, 8000RPM, 3-3/8", 4 6 8 Cyl, 12 Pole
4000365	82170B	Tach, ELEC, KIT REV E
4000366	82170-1	Tach, Elec, Gas/Ign, HD, 8000RPM, 3-3/8", 4 6 8 Cyl
4000367	82171	Tach, ELEC, KIT REV B
4000368	82171B	Tach, Elec, Gas/Ign, HD, 8000RPM, 3-3/8", 4 6 8 Cyl, Imprvd Filter
4000369	82172	Tach, ELEC, KIT
4000370	82172B	Tach, ELEC, KIT REV E
4000371	82200	Ga, Amm, Elec, STD, 30-0-30, 2-1/32", No Lighting, Intern Shunt
4000372	82201	Ga, Amm, Elec, STD, 20-0-20, 2-1/32", No Lighting, Intern Shunt
4000373	82202	Ga, Amm, Elec, STD, 60-0-60, 2-1/32", No Lighting, Intern Shunt
4000374	82207	Ga, Press, Mech, STD, 0-50psi, 2-1/32", no lighting
4000375	82208	Ga, Press, Mech, STD, 5-80psi, 2-1/32", no lighting
4000376	82209	Ga, Press, Mech, STD, 5-100psi, 2-1/32", no lighting
4000377	82210-144	Ga, Tmp, Wat, Mech, STD, 100-250F, 2-1/32", 144" Tube, No Ltng
4000378	82210-36	Ga, Tmp, Wat, Mech, STD, 100-250F, 2-1/32", 36" Tube, No Ltng
4000379	82210-48	Ga, Tmp, Wat, Mech, STD, 100-250F, 2-1/32", 48" Tube, No Ltng
4000380	82210-60	Ga, Tmp, Wat, Mech, STD, 100-250F, 2-1/32", 60" Tube, No Ltng
4000381	82210-72	Ga, Tmp, Wat, Mech, STD, 100-250F, 2-1/32", 72" Tube, No Ltng
4000382	82211	Ga, Fuel Level, Elec, STD, 240Ohm, 2-1/32"
4000383	82212B	Panel, Amm, Elec, STD, 60-0-60, In Chrome Panel
4000384	82213B	Panel, Press, Oil, Mech, STD, 0-100psi, In Chrome Panel
4000385	82214B72	Panel, Tmp, Mech, STD, 100-250F, 72" Tube, In Chrome Panel
4000386	82215B	Panel, Amm, Oil Press, STD 60-0-60/100psi, In Chrome Panel
4000387	82216B	Panel, Oil Press, Tmp, STD 100psi/100-250F, 72" Tube, Chrome Panel
4000388	82217B	Panel, Amm, Oil Press, Tmp, STD, In Chrome Panel
4000389	82218	Box Kit, DLX, 6-Ga, Mech Speed, Elec Tach, w/Sdrs
4000390	82219	Box Kit, TF, 3-Ga, Elec 5" Tach, 2-5/8" Mech Oil Press, Wat Tmp
4000391	82220	Box Kit, TF, 3-Ga Panel, 2-5/8" Mech- Fuel & Oil Press, Wat Tmp
4000392	82222	Box Kit, 6-Ga, Elec, WNG, Wht Dials, Gas/Ign Appl
4000393	82223	Box Kit, 6-Ga, Elec, WNG, Blk Dials, Gas/Ign Appl
4000394	82224	Box Kit, 6-Ga, Mech, WNG, Wht Dials, Gas/Ign Appl
4000395	82225	Box Kit, 6-Ga, Mech, WNG, Blk Dials, Gas/Ign Appl
4000396	82226	Box Kit, 5-Ga, Mech, WNG, Wht Dials
4000397	82227	Box Kit, 5-Ga, Mech, WNG, Blk Dials
4000398	82228	Box Kit, 5-Ga, Elec, WNG, Wht Dials
4000399	82229	Box Kit, 5-Ga, Elec, WNG, Blk Dials
4000400	82230	Box Kit, 5-Ga, Elec, WNG, Gld Bezels, Bge Dials
4000401	82232	Box Kit, 6-Ga, Mech, WNG, Blk Dials, Diesel Appl
4000402	82233	Box Kit, 6-Ga, Mech, WNG, Wht Dials, Diesel Appl
4000403	82243	Box Kit, 5-Ga, Elec, WNG, Bge Dials
4000404	82244	Box Kit, 5-Ga, Elec, WNG, Slvr Dials
4000405	82245	Box Kit, 6-Ga, Elec, PS, Burgundy Ring, Gas/Ign Appl
4000406	82246	Box Kit, 6-Ga, Elec, PS, Titanium Ring, Gas/Ign Appl
4000407	82247	Box Kit, 6-Ga, Elec, PS, Blue/Gray Ring, Gas/Ign Appl
4000408	82248	Box Kit, 6-Ga, Mech, PS, Burgundy Ring, Gas/Ign Appl
4000409	82249	Box Kit, 6-Ga, Mech, PS, Titanium Ring, Gas/Ign Appl
4000410	82250	Box Kit, 6-Ga, Mech, PS, Blue/Gray Ring, Gas/Ign Appl
4000411	82251	Box Kit, 5-Ga, Elec, PS, Burgundy Ring
4000412	82252	Box Kit, 5-Ga, Elec, PS, Titanium Ring
4000413	82253	Box Kit, 5-Ga, Elec, PS, Blue/Gray Ring
4000414	82254	Box Kit, 5-Ga, Mech, PS, Burgundy Ring
4000415	82255	Box Kit, 5-Ga, Mech, PS, Titanium Ring
4000416	82256	Box Kit, 5-Ga, Mech, PS, Blue/Gray Ring
4000417	82301	Ga, Vac, Fuel Econ, Mech, HD, 0-30Hg, 2-1/16", T-Fit & Hose

Del City	Stewart Warner	Description
4000418	82303	Ga, Fuel Level, Elec, DLX, 240Ohm, 2-1/16"
4000419	82304	Ga, Press, Oil, Elec, DLX, 0-80psi, 2-1/16"
4000420	82305	Ga, Press, Oil, Elec, DLX, 0-100psi, 2-1/16"
4000421	82306	Ga, Tmp, Water, Elec, DLX, 100-240F, 2-1/16"
4000422	82307	Ga, Tmp, Water, Elec, DLX, 100-280F, 2-1/16"
4000423	82308	Ga, Tmp, Oil, Elec, DLX, 140-320F, 2-1/16"
4000424	82309	Ga, Volt, Elec, DLX, 10-16V, 2-1/16"
4000425	82310	Ga, Amm, Elec, DLX, 30-0-30, 2-1/16", Internal Shunt
4000426	82311	Ga, Amm, Elec, DLX, 60-0-60, 2-1/16", Internal Shunt
4000427	82313	Ga, Amm, Elec, DLX, 100-0-100, 2-1/16", Internal Shunt
4000428	82319	Ga, Press, Fuel, Mech, DLX, 1-10psi, 2-1/16"
4000429	82320	Ga, Press, Fuel, Mech, DLX, 2-30psi, 2-1/16"
4000430	82321	Ga, Press, Manif, Mech, DLX, 2-30psi, 2-1/16"
4000431	82322	Ga, Press, Oil, Mech, DLX, 5-80psi, 2-1/16"
4000432	82323	Ga, Press, Oil, Mech, DLX, 5-100psi, 2-1/16"
4000433	82324	Ga, Press, Oil, Mech, DLX, 10-200psi, 2-1/16"
4000434	82325	Ga, Press, Fuel, Mech, DLX, 10-200psi, 2-1/16"
4000435	82326-120	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 120" Tube
4000436	82326-144	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 144" Tube
4000437	82326-216	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 216" Tube
4000438	82326-288	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 288" Tube
4000439	82326-360	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 360" Tube
4000440	82326-48	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 48" Tube
4000441	82326-60	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 60" Tube
4000442	82326-72	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 72" Tube
4000443	82326-96	Ga, Press, Water, Mech, DLX, 100-265F, 2-1/16", 96" Tube
4000444	82327-144	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-1/16", 144" Tube
4000445	82327-216	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-1/16", 216" Tube
4000446	82327-60	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-1/16", 60" Tube
4000447	82327-72	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-1/16", 72" Tube
4000448	82327-96	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-1/16", 96" Tube
4000449	82328	Ga, Vac, Mech, DLX, 0-30Hg, 2-1/16"
4000450	82329	Ga, Press, Air, Mech, DLX, 10-150psi, 2-1/16"
4000451	82331	Ga, Press, Air-Dual, Mech, HD, 10-150psi, 2-1/16"
4000452	82332	Ga, Press, Air-Dual, Mech, DLX, 10-150psi, 2-1/16"
4000453	82333	Ga, Press, Fuel, Elec, DLX, 0-16psi, 2-1/16"
4000454	82335	Ga, Pyrom, Elec, DLX, 300-1500F, 2-1/16"
4000455	82340	Ga, Boost, Mech, DLX, 0-30/0-15, 2-1/16", Red Pointer
4000456	82341	Ga, Fuel Level, Elec, DLX, 90Ohm, 2-1/16"
4000457	82342	Ga, Fuel Level, Elec, DLX, 73Ohm, 2-1/16"
4000458	82343	Ga, Amm, Elec, DLX, 100-0-100, 2-1/16", Requires Shunt
4000459	82344	Ga, Tmp, Trans Oil, Elec, DLX, 150-350F, 2-1/16"
4000460	82345	Ga, Tmp, Hyd Oil, Elec, DLX, 100-240F, 2-1/16"
4000461	82346	Ga, Press, Air, Elec, DLX, 0-150psi, 2-1/16"
4000462	82347	Ga, Volt, Elec, DLX, 20-32V, 2-1/16"
4000463	82349	Ga, Press, Oil, Elec, DLX, 0-100psi, 2-1/16", Pos Gnd
4000464	82350	Ga, Press, Air, Mech, DLX, 10-150psi, 2-1/16", 7/16" Thread
4000465	82351	Ga, Tmp, Water, Elec, DLX, 100-280F, 2-1/16", Pos Gnd
4000466	82352	Ga, Tmp, Oil, Elec, DLX, 140-320F, 2-1/16", Pos Gnd
4000467	82353	Ga, Fuel Level, Elec, DLX, 240Ohm, 2-1/16", Pos Gnd
4000468	82358	Ga, Press, Oil, Elec, HD+, 0-100psi, 2-1/16"
4000469	82363	Ga, Press, Oil, Mech, HD+, 5-80psi, 2-1/16"
4000470	82364	Ga, Press, Oil, Mech, HD+, 10-200psi, 2-1/16"
4000471	82365	Ga, Press, Trans Oil, Mech, HD+, 20-300psi, 2-1/16"
4000472	82372	Ga, Press, Oil, Mech, HD+, 5-100psi, 2-1/16"
4000473	82373	Ga, Press, Air, Mech, HD+, 10-150psi, 2-1/16"
4000474	82374	Ga, Tmp, Water, Elec, HD+, 100-240F, 2-1/16"
4000475	82375	Ga, Tmp, Trans Oil, Elec, HD+, 140-320F, 2-1/16"
4000476	82376	Ga, Volt, Elec, HD+, 10-16V, 2-1/16"
4000477	82378	Ga, Fuel Level, Elec, HD+, 240Ohm, 2-1/16"

Del City	Stewart Warner	Description
4000478	82381-144	Ga, Tmp, Water, Mech, HD+, 100-265F, 2-1/16", 144" Tube
4000479	82381-36	Ga, Tmp, Water, Mech, HD+, 100-265F, 2-1/16", 36" Tube
4000480	82381-72	Ga, Tmp, Water, Mech, HD+, 100-265F, 2-1/16", 72" Tube
4000481	82382-144	Ga, Tmp, Oil, Mech, HD+, 140-325F, 2-1/16", 144" Tube
4000482	82382-36	Ga, Tmp, Oil, Mech, HD+, 140-325F, 2-1/16", 36" Tube
4000483	82382-72	Ga, Tmp, Oil, Mech, HD+, 140-325F, 2-1/16", 72" Tube
4000484	82384	Ga, Air Restr, Mech, HD+, 5-40Air in H2O Vac, 2-1/16"
4000485	82386	Ga, Fuel Level, Elec, DLX, 240Ohm, 2-1/16"
4000486	82387	Ga, Press, Oil, Elec, DLX, 0-100psi, 2-1/16", Metric
4000487	82388	Ga, Press, Air, Elec, DLX, 0-150psi, 2-1/16", Metric
4000488	82389	Ga, Tmp, Water, Elec, DLX, 100-240F, 2-1/16", Metric
4000489	82390	Ga, Tmp, Oil, Elec, DLX, 140-320F, 2-1/16", Metric
4000490	82391	Ga, Volt, Elec, DLX, 10-16V, 2-1/16"
4000491	82392	Ga, Press, Mech, DLX, 5-100psi, 2-1/16", Metric
4000492	82393	Ga, Press, Air, Mech, DLX, 10-150psi, 2-1/16", Metric
4000493	82394-144	Ga, Tmp, Water, Mech, DLX, 100-265F, 2-1/16", 144" Tube, Metric
4000494	82394-72	Ga, Tmp, Water, Mech, DLX, 100-265F, 2-1/16", 72" Tube, Metric
4000495	82394-96	Ga, Tmp, Water, Mech, DLX, 100-265F, 2-1/16", 96" Tube, Metric
4000496	82395-144	Ga, Tmp, Oil, Mech, DLX, 140-320F, 2-1/16", 144" Tube, Metric
4000497	82395-72	Ga, Tmp, Oil, Mech, DLX, 140-320F, 2-1/16", 72" Tube, Metric
4000498	82395-96	Ga, Tmp, Oil, Mech, DLX, 140-320F, 2-1/16", 96" Tube, Metric
4000499	82396	Ga, Air Susp, Mech, DLX, 2-100psi, 2-1/16", No Lighting, Blk Bezel
4000500	82399	Ga, Press, Mech, KIT BOURDON REV B
4000501	82404	Ga, Amm, Elec, DLX, 60-0-60, 2-5/8", Internal Shunt
4000502	82405	Ga, Press, Fuel, Mech, DLX, 1-15psi, 2-5/8"
4000503	82406	Ga, Press, Oil, Mech, DLX, 5-100psi, 2-5/8"
4000504	82408	Ga, Press, Air, Mech, DLX, 10-100psi, 2-5/8"
4000505	82409-144	Ga, Tmp, Water, Mech, DLX, 100-265F, 2-5/8", 144" Tube
4000506	82409-60	Ga, Tmp, Water, Mech, DLX, 100-265F, 2-5/8", 60" Tube
4000507	82409-72	Ga, Tmp, Water, Mech, DLX, 100-265F, 2-5/8", 72" Tube
4000508	82410-60	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-5/8", 60" Tube
4000509	82410-72	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-5/8", 72" Tube
4000510	82410-96	Ga, Tmp, Oil, Mech, DLX, 140-325F, 2-5/8", 96" Tubing
4000511	82411	Ga, Vac, Mech, DLX, 0-30Hg, 2-5/8"
4000512	82413	Ga, Fuel Level, Elec, DLX, 240Ohm, 2-5/8"
4000513	82459	Clust, Mini-Panel, VM, Wat Tmp, Oil Press, Sdrs & Adptrs Included
4000514	82460	Ga, Vac, Fuel Econ, Mech, HD, 0-30Hg, 2-1/16", Ped Mnt
4000515	82471	Ga, Fuel Level, Elec, WNG, 240Ohm, 2-1/16, Wht Dial
4000516	82472	Ga, Fuel Level, Elec, WNG, 240Ohm, 2-1/16, Blk Dial
4000517	82473	Ga, Press, Oil, Elec, WNG, 0-80psi, 2-1/16", Wht Dial
4000518	82474	Ga, Press, Oil, Elec, WNG, 0-80psi, 2-1/16", Blk Dial
4000519	82475	Ga, Press, Oil, Mech, WNG 5-80psi, 2-1/16", Wht Dial
4000520	82476	Ga, Press, Oil, Mech, WNG 5-80psi, 2-1/16", Blk Dial
4000521	82477	Ga, Tmp, Water, Elec, WNG, 100-240F, 2-1/16", Wht Dial
4000522	82478	Ga, Tmp, Water, Elec, WNG, 100-240F, 2-1/16", Blk Dial
4000523	82479-144	Ga, Tmp, Water, Mech, WNG, 100-265F, 2-1/16", 144" Tube, Wht Dial
4000524	82479-72	Ga, Tmp, Water, Mech, WNG, 100-265F, 2-1/16", 72" Tube, Wht Dial
4000525	82479-96	Ga, Tmp, Water, Mech, WNG, 100-265F, 2-1/16", 96" Tube, Wht Dial
4000526	82480-144	Ga, Tmp, Water, Mech, WNG, 100-265F, 2-1/16", 144" Tube, Blk Dial
4000527	82480-72	Ga, Tmp, Water, Mech, WNG, 100-265F, 2-1/16", 72" Tube, Blk Dial
4000528	82480-96	Ga, Tmp, Water, Mech, WNG, 100-265F, 2-1/16", 96" Tube, Blk Dial
4000529	82481	Ga, Volt, Elec, WNG, 10-16V, 2-1/16", Wht Dial
4000530	82482	Ga, Volt, Elec, WNG, 10-16V, 2-1/16", Blk Dial
4000531	82483	Ga, Air Susp, Mech, WNG, 2-100psi, 2-1/16", Wht Dial
4000532	82484	Ga, Air Susp, Mech, WNG, 2-100psi, 2-1/16", Blk Dial
4000533	82485	Ga, Pyrom, Elec, WNG, 300-1500F, 2-1/16", Wht Dial
4000534	82486	Ga, Pyrom, Elec, WNG, 300-1500F, 2-1/16", Blk Dial
4000535	82487	Ga, Press, Air, Mech, WNG, 10-150psi, 2-1/16", Wht Dial
4000536	82488	Ga, Press, Air, Mech, WNG, 10-150psi, 2-1/16", Blk Dial
4000537	82489	Ga, Tmp, Oil, Elec, WNG, 140-320F, 2-1/16", Wht Dial

Del City	Stewart Warner	Description
4000538	82490	Ga, Tmp, Oil, Elec, WNG, 140-320F, 2-1/16", Blk Dial
4000539	82491	Ga, Boost, Mech, WNG, 0-30/0-40, 2-1/16", Wht Dial
4000540	82492	Ga, Boost, Mech, WNG, 0-30/0-40, 2-1/16", Blk Dial
4000541	82493	Ga, Fuel Level, Elec, WNG, 90Ohm, 2-1/16" Wht Dial
4000542	82494	Ga, Fuel Level, Elec, WNG, 90Ohm, 2-1/16" Blk Dial
4000543	82495	Ga, Fuel Level, Elec, WNG, 730Ohm, 2-1/16" Wht Dial
4000544	82496	Ga, Fuel Level, Elec, WNG, 730Ohm, 2-1/16" Blk Dial
4000545	82497	Ga, Press, Oil, Elec, WNG, 0-80psi, 2-1/16", Slvr Dial
4000546	82498	Ga, Tmp, Water, Elec, WNG, 100-240F, 2-1/16", Slvr Dial
4000547	82499	Ga, Fuel Level, Elec, WNG, 240Ohm, 2-1/16, Slvr Dial
4000548	82501	Sdr, Press, Dual, 100 psi, 120Ohm, 1/8" PT, Stud Term
4000549	82503	Sdr, Tmp, Dual, 100-240F, 1/4 NPTF, 5/8" Hex, adptrs: 1/4" 3/8" 1/2" PT
4000550	82504-F	Sdr, Press, 15 psi, 240-33.5Ohm, 1/8" PT, Stud Term
4000551	82505	Sdr, Thermocouple, 300-1500F, 17" Long
4000552	82510-F	Adptr Kit, Metric, 100-280F, 14 16 18 mm Thread, For Tmp Sdr
4000553	82511	Sdr, Press, REV C
4000554	82512	Adptr, KIT REV D
4000555	82514	Sdr, Press, Dual, 80 psi, 120Ohm, 1/8" PT, Stud Term
4000556	82515	Ga, Fuel Level, Elec, PS, 240Ohm, 2-1/16", Burgundy Ring
4000557	82516	Ga, Fuel Level, Elec, PS, 240Ohm, 2-1/16", Titanium Ring
4000558	82517	Ga, Fuel Level, Elec, PS, 240Ohm, 2-1/16", Blue/Gray Ring
4000559	82520	Ga, Press, Oil, Elec, WNG, 0-80psi, 2-1/16", Gld Bezel, Bge Dial
4000560	82521	Ga, Tmp, Water, Elec, WNG, 100-240F, 2-1/16", Gld Bezel, Bge Dial
4000561	82522	Ga, Fuel Level, Elec, WNG, 240Ohm, 2-1/16, Gld Bezel, Bge Dial
4000562	82523	Ga, Volt, Elec, WNG, 10-16V, 2-1/16", Gld Bezel, Bge Dial
4000563	82527	Sdr, Speed, HALL ROTARY REV A
4000564	82530	Ga, Press, Oil, Elec, WNG, 0-80psi, 2-1/16", Bge Dial
4000565	82531	Ga, Tmp, Water, Elec, WNG, 100-240F, 2-1/16", Bge Dial
4000566	82532	Ga, Fuel Level, Elec, WNG, 240Ohm, 2-1/16, Bge Dial
4000567	82533	Ga, Volt, Elec, WNG, 10-16V, 2-1/16", Bge Dial
4000568	82537	Ga, Volt, Elec, BT2 VOLT, 12V REV A
4000569	82553-F	Kit, Tube, Press, 6ft, 1/8" Fem PT & 1/8" Male PT Nuts, 1/4" Adapt Nut
4000570	82556-1	Thermocouple, Ext for 82505, 5 Ft Lngth
4000571	82556-2	Thermocouple, Ext for 82505, 10 Ft Lngth
4000572	82556-3	Thermocouple, Ext for 82505, 20 Ft Lngth
4000573	82561-F	Adptr Kit, Japanese Press, 1 1/8-28BSP Male & 1 1/8-28BSP Female
4000574	82562-F	Kit, Tube, Vac, 6ft, 1/8" Fem Adptr Nut, 3/16" T To Fit 5/32" ID Tubing
4000575	82563B	Adptr, Voltage, Tach to 24VDC, Not Tachs with Hourmeter
4000576	82565-F	Sdr, Speed, 2-Wire, Pulse Gen, Includes .104 Tip
4000577	82572	Adptr, Nut, 5/8"-18 ID to M14x1.5 OD
4000578	82573	Adptr, Nut, 5/8"-18 ID to M16x1.5 OD
4000579	82574	Adptr, Nut, 5/8"-18 ID to M18x1.5 OD
4000580	82603	Speed, Elec, HD+, 0-30MPH, 3-3/8", Odo, Program, Dual Scale
4000581	82604	Speed, Elec, HD, 5-85MPH, 3-3/8", Odo, Program, Sq Wave
4000582	82607	Speed, Elec, WNG, 0-160MPH, 3-3/8", Odo, Program, Gld Bez, Bge Dial
4000583	82608	Tach, Elec, Gas/Ign, WNG, 8000RPM, 3-3/8", 4 6 8 Cyl, Gld Bez, Bge Dial
4000584	82610	Ga, Volt, Elec, WNG, 10-16V, 2-1/16", Slvr Dial
4000585	82611	Speed, Elec, WNG, 0-160MPH, 3-3/8", Odo, Program, Slvr Dial
4000586	82612	Speed, Elec, WNG, 0-160MPH, 3-3/8", Odo, Program, Bge Dial
4000587	82613	Tach, Elec, Gas/Ign, WNG, 8000RPM, 3-3/8", 4 6 8 Cyl, Bge Dial
4000588	82614	Tach, Elec, Gas/Ign, WNG, 8000RPM, 3-3/8", 4 6 8 Cyl, Slvr Dial
4000589	82619	Tach, Elec, Dsl, HD, 3500RPM, 3-3/8", .5 1 1.5 2, Hall Eff
4000590	82620	Tach, Elec, Dsl, DLX, 3500RPM, 3-3/8", .5 1 1.5 2, Hall Eff
4000591	82621	Tach, Elec, Dsl, HD, 3500RPM, 3-3/8", HM, Altnt
4000592	82622	Tach, Elec, Dsl, DLX, 3500RPM, 3-3/8", HM, .5 1 1.5 2, Hall Eff
4000593	82623B	Sdr, Speed, Hall Effect, 3500RPM, 8ppr, 7/8-18 Thd, 12VDC, w/.187 Tang
4000594	82624	Drive Tip, .203 Tang, For 82565-F or 82623B Sdr
4000595	82625	Drive Tip, .187 Tang, For 82565-F or 82623B Sdr
4000596	82628	Tach, Elec, Gas/Ign, Pedestal, 8000RPM, 2-1/2" dia, 3-1/2" High
4000597	82629	Drive Tip, .104 Sq, For 82565-F or 82623B Sdr

Del City	Stewart Warner	Description
4000598	82635	Tach, Elec, Dsl, DLX, 3500RPM, 3-3/8", .5 1 1.5 2, Hall Eff, Altntr
4000599	82636	Tach, Elec, Dsl, DLX, 3500RPM, 3-3/8", .5 1 1.5 2, Mag, Flywheel
4000600	82637	Speed, Elec, DLX, 5-85MPH, 3-3/8", Odo, Program, Dual Scale
4000601	82641	Tach, Elec, Dsl, HD, 3500RPM, 3-3/8", .5 1 1.5 2, Mag, Flywheel
4000602	82642	Speed, Elec, HD, 5-85MPH, 3-3/8", Odo, Program
4000603	82643	Tach, Elec, Dsl, HD+, 3500RPM, 3-3/8", .5 1 1.5 2, Hall Eff, Altntr
4000604	82644	Tach, Elec, Dsl, HD+, 3500RPM, 3-3/8", .5 1 1.5 2, Mag, Flywheel
4000605	82645	Speed, Elec, HD+, 5-85MPH, 3-3/8", Odo, Program, Dual Scale
4000606	82646	Sdr, Speed, Magnetic, Flywheel/Tone Wheel, 3/4"-16 UNF
4000607	82647	Tach, Elec, Dsl, HD+, 3500RPM, 3-3/8", HM, .5 1 1.5 2, Hall Eff, Altntr
4000608	82648	Tach, Elec, Gas/Ign, HD+, 6000RPM, 3-3/8", 4 6 8 Cyl
4000609	82649	Tach, Elec, Gas/Ign, HD+, 8000RPM, 3-3/8", 4 6 8 Cyl
4000610	82651	Tach, Elec, Dsl, HD, 3500RPM, 3-3/8", HM, 24V, Altntr
4000611	82655	Tach, Elec, KIT, REV E
4000612	82656	Speed, Elec, DLX, 0-140KPH, 3-3/8", Odo, Prog, Metric, Dual Scale
4000613	82658	Speed, Elec, HD+, 0-140KPH, 3-3/8", Odo, Prog, Metric, Dual Scale
4000614	82659	Tach, Elec, Gas/Ign, WNG, 8000RPM, 3-3/8", 4 6 8 Cyl, Wht Dial
4000615	82660	Tach, Elec, Gas/Ign, WNG, 8000RPM, 3-3/8", 4 6 8 Cyl, Blk Dial
4000616	82661	Speed, Elec, WNG, 0-160MPH, 3-3/8", Odo, Program, Wht Dial
4000617	82662	Speed, Elec, WNG, 0-160MPH, 3-3/8", Odo, Program, Blk Dial
4000618	82663	Speed, Mech, WNG, 0-160MPH, 3-3/8", Odo, Wht Dial
4000619	82664	Speed, Mech, WNG, 0-160MPH, 3-3/8", Odo, Blk Dial
4000620	82665	Speed, Mech, WNG, 0-80MPH, 3-3/8", Odo, Wht Dial
4000621	82666	Speed, Mech, WNG, 0-80MPH, 3-3/8", Odo, Blk Dial
4000622	82669	Speed, Elec, WNG, 0-120MPH, 3-3/8", Odo, Program, Wht Dial
4000623	82671	Tach, Elec, Dsl, WNG, 3500RPM, 3-3/8", .5 1 1.5 2, Hall Eff, Altntr, Wht
4000624	82672	Tach, Elec, Dsl, WNG, 3500RPM, 3-3/8", .5 1 1.5 2, Hall Eff, Altntr, Blk
4000625	82673	Tach, Elec, Dsl, WNG, 3500RPM, 3-3/8", .5 1 1.5 2, Mag, Flywheel, Wht
4000626	82674	Tach, Elec, Dsl, WNG, 3500RPM, 3-3/8", .5 1 1.5 2, Mag, Flywheel, Blk
4000627	82676	Speed, Mech, WW, 0-140KPH, 3-3/8", Odo, Dual Scale
4000628	82677	Speed, Mech, DLX, 5-85MPH, 3-3/8", Odo, Dual Scale
4000629	82678	Speed, Mech, HD, 5-85MPH, 3-3/8", Odo, Dual Scale
4000630	82680	Speed, Mech, WW, 0-80MPH, 3-3/8", Odo, Dual Scale
4000631	82682	Tach, Handheld, 4000RPM, 3", 4" Long
4000632	82688	Tach, Mech, DLX, 3500RPM, 3/3-8", HM, .5:1
4000633	82689	Tach, Mech, DLX, 3500RPM, 3/3-8", .5:1
4000634	82690	Tach, Mech, DLX, 3500RPM, 3/3-8", HM, 1:1
4000635	82691	Tach, Mech, DLX, 3500RPM, 3/3-8", 1:1
4000636	82692	Speed, Mech, DLX, 0-80MPH, 3-3/8", Odo, Dual Scale
4000637	82694	Speed, Mech, HD+, 5-85MPH, 3-3/8", Odo, Dual Scale
4000638	82695	Speed, Mech, HD+, 0-140KPH, 3-3/8", Odo, Dual Scale
4000639	82696	Tach, Mech, HD+, 3000RPM, 3/3-8", HM, .5:1
4000640	82697	Speed, Mech, DLX, 0-140KPH, 3-3/8", Odo, Metric
4000641	82698	Speed, Elec, DLX, 0-160MPH, 5", Odo, Program, SW Block Logo
4000642	82699	Tach, Elec, Gas/Ign, DLX, 10000RPM, 5", Blk Dial, SW Block Logo
4000643	82700	Ga, Amm, Elec, WW, 60-0-60, 2-1/16", Internal Shunt
4000644	82701	Ga, Amm, Elec, WW, 100-0-100, 2-1/16", Internal Shunt
4000645	82702	Ga, Tmp, Water, Elec, WW, 100-280F, 2-1/16", Dual Scale
4000646	82703-144	Ga, Tmp, Water, Mech, WW, 100-265F, 2-1/16", 144" Tube, Dual Scale
4000647	82703-72	Ga, Tmp, Water, Mech, WW, 100-265F, 2-1/16", 72" Tube, Dual Scale
4000648	82704	Ga, Press, Oil, Mech, WW, 5-100psi, 2-1/16", Dual Scale
4000649	82705	Ga, Press, Oil, Elec, WW, 0-100psi, 2-1/16", Dual Scale
4000650	82706	Ga, Tmp, Oil, Elec, WW, 150-350F, 2-1/16", Dual Scale
4000651	82708	Ga, Tmp, Hyd Oil, Elec, WW, 100-220F, 2-1/16"
4000652	82709	Ga, Volt, Elec, WW, 10-16V, 2-1/16"
4000653	82710	Ga, Press, Air, Mech, WW, 10-150psi, 2-1/16", Dual Scale
4000654	82712	Ga, Fuel Level, Elec, WW, 240Ohm, 2-1/16"
4000655	82717	Ga, Press, Trans Oil, Mech, WW, 20-300psi, 2-1/16", Dual Scale
4000656	82729	Ga, Press, Conv Oil, Elec, HD+, 0-100psi, 2-1/16", Dual Scale
4000657	82730	Ga, Tmp, Cool, Elec, HD+, 100-240F, 2-1/16", Dual Scale

Del City	Stewart Warner	Description
4000658	82733	Ga, Fuel Level, Elec, HD+, 240Ohm, 2-1/16"
4000659	82741	Ga, Press, Oil, Mech, HD+, 5-100psi, 2-1/16", Dual Scale
4000660	82742	Ga, Press, Air, Mech, HD+, 10-150psi, 2-1/16", Dual Scale
4000661	82743	Ga, Press, Trans Oil, Mech, HD+, 20-300psi, 2-1/16", Dual Scale
4000662	82744-144	Ga, Tmp, Cool, Mech, HD+, 100-265F, 2-1/16", 144" Tube, Dual Scale
4000663	82744-72	Ga, Tmp, Cool, Mech, HD+, 100-265F, 2-1/16", 72" Tube, Dual Scale
4000664	82744-96	Ga, Tmp, Cool, Mech, HD+, 100-265F, 2-1/16", 96" Tube, Dual Scale
4000665	82748	Ga, Amm, Elec, KIT, REV. C
4000666	82749-144	Ga, Tmp, Oil, Mech, HD+, 140-320F, 2-1/16", 144" Tube, Dual Scale
4000667	82749-72	Ga, Tmp, Oil, Mech, HD+, 140-320F, 2-1/16", 72" Tube, Dual Scale
4000668	82749-96	Ga, Tmp, Oil, Mech, HD+, 140-320F, 2-1/16", 96" Tube, Dual Scale
4000669	82752	Ga, Press, Oil, Elec, PS, 0-80PSI, 2-1/16", Burgundy Ring
4000670	82753	Ga, Tmp, Water Elec, PS, 100-240F, 2-1/16", Burgundy Ring
4000671	82754	Ga, Volt, Elec, PS, 10-16V, 2-1/16", Burgundy Ring
4000672	82755	Ga, Press, Oil, Mech, PS, 0-80PSI, 2-1/16", Burgundy Ring
4000673	82756	Ga, Press, Oil, Elec, PS, 0-80PSI, 2-1/16", Titanium Ring
4000674	82757	Ga, Tmp, Water Elec, PS, 100-240F, 2-1/16", Titanium Ring
4000675	82758	Ga, Volt, Elec, PS, 10-16V, 2-1/16", Titanium Ring
4000676	82759	Ga, Press, Oil, Mech, PS, 0-80PSI, 2-1/16", Titanium Ring
4000677	82760	Ga, Press, Oil, Elec, PS, 0-80PSI, 2-1/16", Blue/Gray Ring
4000678	82761	Ga, Tmp, Water Elec, PS, 100-240F, 2-1/16", Blue/Gray Ring
4000679	82762	Ga, Volt, Elec, PS, 10-16V, 2-1/16", Blue/Gray Ring
4000680	82763	Ga, Press, Oil, Mech, PS, 0-80PSI, 2-1/16", Blue/Gray Ring
4000681	82800-P	Tach, Elec, Gas/Ign, TF, 10000RPM, 5", 4 6 8 Cyl, TellTale Mem, Blk Bez
4000682	82801-P	Tach, Mech, TF, 10000RPM, 5", .5:1, Adj Redline, Blk Bezel
4000683	82802-P	Tach, Elec, Gas/Ign, TF, 12000RPM, 5", 4 6 8 Cyl, TellTale Mem, Blk Bez
4000684	82803-P	Tach, Elec, Gas/Ign, TF, 10000RPM, 5", 4 6 8 Cyl, Blk Bezel
4000685	82805-P	Ga, Amm, Elec, TF, 60-0-60, 2-5/8", Internal Shunt, Blk Bezel
4000686	82806-P	Ga, Press, Fuel, Mech, TF, 1-15psi, 2-5/8", Blk Bezel
4000687	82807-P	Ga, Press, Oil, Mech, TF, 5-100psi, 2-5/8", Blk Bezel
4000688	82808-P	Ga, Press, Oil, Mech, TF, 10-200psi, 2-5/8", Blk Bezel
4000689	82809-144P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-5/8", 144" Tube, Blk Bezel
4000690	82809-72P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-5/8", 72" Tube, Blk Bezel
4000691	82810-144P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-5/8", 144" Tube, Blk Bezel
4000692	82810-72P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-5/8", 72" Tube, Blk Bezel
4000693	82811-P	Ga, Vac, Mech, TF, 0-30Hg, 2-5/8", Blk Bezel
4000694	82812-P	Ga, Volt, Elec, TF, 10-16V, 2-5/8", Blk Bezel
4000695	82813-P	Ga, Fuel Level, Elec, TF, 240Ohm, 2-5/8", Blk Bezel
4000696	82814-P	Ga, Boost, Mech, TF, 0-30/0-40, 2-5/8", Blk Bezel
4000697	82820-P	Tach, Elec, Gas/Ign, TF, 10000RPM, 5", 4 6 8 Cyl, TellTale Mem, SS Bez
4000698	82821-P	Tach, Mech, TF, 10000RPM, 5", .5:1, Adj Redline, SS Bezel
4000699	82822-P	Tach, Elec, Gas/Ign, TF, 12000RPM, 5", 4 6 8 Cyl, TellTale Mem, SS Bez
4000700	82823-P	Tach, Elec, Gas/Ign, TF, 10000RPM, 5", 4 6 8 Cyl, SS Bezel
4000701	82825-P	Ga, Amm, Elec, TF, 60-0-60, 2-5/8", Internal Shunt, SS Bezel
4000702	82826-P	Ga, Press, Fuel, Mech, TF, 1-15psi, 2-5/8", Blk Bezel
4000703	82827-P	Ga, Press, Oil, Mech, TF, 5-100psi, 2-5/8", SS Bezel
4000704	82828-P	Ga, Press, Oil, Mech, TF, 10-200psi, 2-5/8", SS Bezel
4000705	82829-144P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-5/8", 144" Tube, SS Bezel
4000706	82829-72P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-5/8", 72" Tube, SS Bezel
4000707	82830-144P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-5/8", 144" Tube, SS Bezel
4000708	82830-72P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-5/8", 72" Tube, SS Bezel
4000709	82831-P	Ga, Vac, Mech, TF, 0-30Hg, 2-5/8", SS Bezel
4000710	82832-P	Ga, Volt, Elec, TF, 10-16V, 2-5/8", SS Bezel
4000711	82833-P	Ga, Fuel Level, Elec, TF, 240Ohm, 2-5/8", SS Bezel
4000712	82834-P	Ga, Boost, Mech, TF, 0-30/0-40, 2-5/8", SS Bezel
4000713	82837	Tach, Elec, Gas/Ign, PS, 8000RPM, 3-3/8", 4 6 8 Cyl, Titanium Ring
4000714	82838	Tach, Elec, Gas/Ign, PS, 8000RPM, 3-3/8", 4 6 8 Cyl, Blue/Gray Ring
4000715	82839	Speed, Elec, PS, 0-160MPH, 3-3/8", Burgundy Ring
4000716	82840	Speed, Elec, PS, 0-160MPH, 3-3/8", Titanium Ring
4000717	82841	Speed, Elec, PS, 0-160MPH, 3-3/8", Blue/Gray Ring

Del City	Stewart Warner	Description
4000718	82842	Ga, Tmp, Water, Mech, PS, 100-265F, 2-1/16", 72" Tube, Burgundy Ring
4000719	82843	Ga, Tmp, Water, Mech, PS, 100-265F, 2-1/16", 72" Tube, Titanium Ring
4000720	82844	Ga, Tmp, Water, Mech, PS, 100-265F, 2-1/16", 72" Tube, Blue/Gray Ring
4000721	82845	Tach, Elec, Gas/Ign, PS, 8000RPM, 3-3/8", 4 6 8 Cyl, Burgundy Ring
4000722	82846	Speed, Elec, DLX, 0-160MPH, 5", Odo, Wht Dial, Wings Logo
4000723	82847	Tach, Elec, Gas/Ign, DLX, 10000RPM, 5", Wht Dial, Wings Logo
4000724	82848	Speed, Elec, DLX, 0-160MPH, 5", Odo, Blk Dial, Wings Logo
4000725	82849	Tach, Elec, Gas/Ign, DLX, 10000RPM, 5", Blk Dial, Wings Logo
4000726	82851-P	Tach, Mech, TF, 10000RPM, 3-3/8", .5:1, Adj Redline, Blk Bezel
4000727	82852-P	Speed, Mech, TF, 0-160MPH, 3-3/8", Odo, Blk Bezel
4000728	82855-P	Ga, Amm, Elec, TF, 60-0-60, 2-1/16", Internal Shunt, Blk Bezel
4000729	82856-P	Ga, Press, Fuel, Mech, TF, 1-16psi, 2-1/16", Blk Bezel
4000730	82857-P	Ga, Press, Oil, Mech, TF, 5-100psi, 2-1/16", Blk Bezel
4000731	82858-P	Ga, Press, Oil, Mech, TF, 10-200psi, 2-1/16", Blk Bezel
4000732	82859-144P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-1/16", 144" Tube, Blk Bezel
4000733	82859-36P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-1/16", 36" Tube, Blk Bezel
4000734	82859-72P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-1/16", 72" Tube, Blk Bezel
4000735	82860-144P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-1/16", 144" Tube, Blk Bezel
4000736	82860-36P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-1/16", 36" Tube, Blk Bezel
4000737	82860-72P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-1/16", 72" Tube, Blk Bezel
4000738	82861-P	Ga, Vac, Mech, TF, 0-30Hg, 2-1/16", Blk Bezel
4000739	82862-P	Ga, Volt, Elec, TF, 10-16V, 2-1/16", Blk Bezel
4000740	82863-P	Ga, Fuel Level, Elec, TF, 240Ohm, 2-1/16", Blk Bezel
4000741	82864-P	Ga, Boost, Mech, TF, 0-30/0-15, 2-1/16", Blk Bezel
4000742	82865-P	Ga, Press, Oil, Elec, TF, 0-100psi, 2-1/16", Blk Bezel
4000743	82866-P	Ga, Tmp, Water, Elec, TF, 100-280F, 2-1/16", Blk Bezel
4000744	82867-P	Ga, Tmp, Oil, Elec, TF, 140-320F, 2-1/16", Blk Bezel
4000745	82868-P	Ga, Press, Fuel, Elec, TF, 0-16psi, 2-1/16", Blk Bezel
4000746	82869-P	Ga, Fuel Level, Elec, TF, 90Ohm, 2-1/16", Blk Bezel
4000747	82870-P	Ga, Fuel Level, Elec, TF, 73Ohm, 2-1/16", Blk Bezel
4000748	82871-P	Tach, Mech, TF, 10000RPM, 3-3/8", .5:1, Adj Redline, SS Bezel
4000749	82872-P	Speed, Mech, TF, 0-160MPH, 3-3/8", Odo, SS Bezel
4000750	82873-P	Tach, Elec, Gas/Ign, TF, 10000RPM, 3-3/8", 4 6 8 Cyl, Adj RLine, SS Bez
4000751	82875-P	Ga, Amm, Elec, TF, 60-0-60, 2-1/16", Internal Shunt, SS Bezel
4000752	82876-P	Ga, Press, Fuel, Mech, TF, 1-16psi, 2-1/16", SS Bezel
4000753	82877-P	Ga, Press, Oil, Mech, TF, 5-100psi, 2-1/16", SS Bezel
4000754	82878-P	Ga, Press, Oil, Mech, TF, 10-200psi, 2-1/16", SS Bezel
4000755	82879-144P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-1/16", 144" Tube, SS Bezel
4000756	82879-36P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-1/16", 36" Tube, SS Bezel
4000757	82879-72P	Ga, Tmp, Water, Mech, TF, 100-265F, 2-1/16", 72" Tube, SS Bezel
4000758	82880-144P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-1/16", 144" Tube, SS Bezel
4000759	82880-36P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-1/16", 36" Tube, SS Bezel
4000760	82880-72P	Ga, Tmp, Oil, Mech, TF, 140-325F, 2-1/16", 72" Tube, SS Bezel
4000761	82881-P	Ga, Vac, Mech, TF, 0-30Hg, 2-1/16", SS Bezel
4000762	82882-P	Ga, Volt, Elec, TF, 10-16V, 2-1/16", SS Bezel
4000763	82883-P	Ga, Fuel Level, Elec, TF, 240Ohm, 2-1/16", SS Bezel
4000764	82884-P	Ga, Boost, Mech, TF, 0-30/0-15, 2-1/16", SS Bezel
4000765	82885-P	Ga, Press, Oil, Elec, TF, 0-100psi, 2-1/16", SS Bezel
4000766	82886-P	Ga, Tmp, Water, Elec, TF, 100-280F, 2-1/16", SS Bezel
4000767	82887-P	Ga, Tmp, Oil, Elec, TF, 140-320F, 2-1/16", SS Bezel
4000768	82888-P	Ga, Press, Fuel, Elec, TF, 0-16psi, 2-1/16", SS Bezel
4000769	82889-P	Ga, Fuel Level, Elec, TF, 90Ohm, 2-1/16", SS Bezel
4000770	82890-P	Ga, Fuel Level, Elec, TF, 73Ohm, 2-1/16", SS Bezel
4000771	82892	Sdr, Press, 80 psi, 240-33.5Ohm, 1/8" PT, Pack Conn
4000772	82893	Sdr, Press, 100 psi, 240-33.5Ohm, 1/8" PT, Pack Conn
4000773	82894	Sdr, Press, 150 psi, 240-33.5Ohm, 1/8" PT, Pack Conn
4000774	82895	Sdr, Press, KIT REV B
4000775	82896	Speed, Elec, DLX, 0-120MPH, 3-3/8", Odo, Program
4000776	82897	Sdr, Fuel Level, Conn, Pblt Harness Assem, 22" Leads, Ring Terms
4000777	82898	Speed, Elec, DLX, 0-160MPH, 5", Odo, Program, Wht Dial, SW Logo

Del City	Stewart Warner	Description
4000778	82901	Drive Joint 666 Kit, Common Parts
4000779	82905	Ga, Fuel Level, Elec, HD+, 240Ohm, 2-1/16", Low Level LED
4000780	82906	Ga, Press, Front Air, Elec, HD+, 0-150psi, 2-1/16", LED Warn Set at 62psi
4000781	82907	Ga, Press, Rear Air, Elec, HD+, 0-150psi, 2-1/16", LED Warn Set at 62psi
4000782	82918	Speed, Elec, BT SPEED REV A
4000783	82927	5" 10,000 RPM Tach, Beige, DLX
4000784	82928	5" 160 MPH Speedo, Beige DLX
4000785	82929	5" 10,000 RPMTach, White DLX
4000786	82950	DRIVE JOINT KIT
4000787	82951	Drive Joint 666 Kit, Uncommon Parts
4000788	82953	Drive Joint 777 Kit, Uncommon Parts
4000789	82954	Drive Joint 777/666 Kit, Gears
4000790	83000	Ga, Tmp, Oil, Elec, SEA, 140-320F, 2-1/16", Wht Bezel
4000791	83001	Ga, Tmp, Oil, Elec, SEA, 140-320F, 2-1/16", Red Bezel
4000792	83002	Ga, Tmp, Oil, Elec, SEA, 140-320F, 2-1/16", Purple Bezel
4000793	83003	Ga, Tmp, Oil, Elec, SEA, 140-320F, 2-1/16", Blue Bezel
4000794	83004	Ga, Tmp, Oil, Elec, SEA, 140-320F, 2-1/16", Gray Bezel
4000795	83005	Ga, Tmp, Oil, Elec, SEA, 140-320F, 2-1/16", Teal Bezel
4000796	83007	Ga, Fuel Level, Elec, SEA, 240Ohm, 2-1/16", Red Bezel
4000797	83008	Ga, Fuel Level, Elec, SEA, 240Ohm, 2-1/16", Purple Bezel
4000798	83009	Ga, Fuel Level, Elec, SEA, 240Ohm, 2-1/16", Blue Bezel
4000799	83013	Ga, Volt, Elec, SEA, 10-16V, 2-1/16", Red Bezel
4000800	83014	Ga, Volt, Elec, SEA, 10-16V, 2-1/16", Purple Bezel
4000801	83015	Ga, Volt, Elec, SEA, 10-16V, 2-1/16", Blue Bezel
4000802	83019	Ga, Press, Oil, Elec, SEA, 0-80psi, 2-1/16", Red Bezel
4000803	83020	Ga, Press, Oil, Elec, SEA, 0-80psi, 2-1/16", Purple Bezel
4000804	83021	Ga, Press, Oil, Elec, SEA, 0-80psi, 2-1/16", Blue Bezel
4000805	83025	Ga, Tmp, Water, Elec, SEA, 100-280F, 2-1/16", Red Bezel
4000806	83026	Ga, Tmp, Water, Elec, SEA, 100-280F, 2-1/16", Purple Bezel
4000807	83027	Ga, Tmp, Water, Elec, SEA, 100-280F, 2-1/16", Blue Bezel
4000808	83031	Ga, Press, Water, Mech, SEA, 2-30psi, 2-1/16", Red Bezel
4000809	83032	Ga, Press, Water, Mech, SEA, 2-30psi, 2-1/16", Purple Bezel
4000810	83033	Ga, Press, Water, Mech, SEA, 2-30psi, 2-1/16", Blue Bezel
4000811	83035	Ga, Press, Water, Mech, SEA, 2-30psi, 2-1/16", Teal Bezel
4000812	83036	Tach, Elec, Gas/Ign, SEA, 6000RPM, 3-3/8", 4 6 8 Cyl, Wht Bezel
4000813	83037	Tach, Elec, Gas/Ign, SEA, 6000RPM, 3-3/8", 4 6 8 Cyl, Red Bezel
4000814	83038	Tach, Elec, Gas/Ign, SEA, 6000RPM, 3-3/8", 4 6 8 Cyl, Purple Bezel
4000815	83039	Tach, Elec, Gas/Ign, SEA, 6000RPM, 3-3/8", 4 6 8 Cyl, Blue Bezel
4000816	83040	Tach, Elec, Gas/Ign, SEA, 6000RPM, 3-3/8", 4 6 8 Cyl, Gray Bezel
4000817	83041	Tach, Elec, Gas/Ign, SEA, 6000RPM, 3-3/8", 4 6 8 Cyl, Teal Bezel
4000818	83043	Ga, Press, Fuel, Elec, SEA, 0-100psi, 2-1/16", Red Bezel
4000819	83044	Ga, Press, Fuel, Elec, SEA, 0-100psi, 2-1/16", Purple Bezel
4000820	83047	Ga, Press, Fuel, Elec, SEA, 0-100psi, 2-1/16", Teal Bezel
4000821	83048	Ga, Boost, Mech, SEA, 0-40/0-30, 2-1/16", Wht Bezel
4000822	83049	Ga, Boost, Mech, SEA, 0-40/0-30, 2-1/16", Red Bezel
4000823	83050	Ga, Boost, Mech, SEA, 0-40/0-30, 2-1/16", Purple Bezel
4000824	83051	Ga, Boost, Mech, SEA, 0-40/0-30, 2-1/16", Blue Bezel
4000825	83052	Ga, Boost, Mech, SEA, 0-40/0-30, 2-1/16", Gray Bezel
4000826	83053	Ga, Boost, Mech, SEA, 0-40/0-30, 2-1/16", Teal Bezel
4000827	83054	Ga, Trim, Elec, SEA, 2-1/16", Wht Bezel
4000828	83055	Ga, Trim, Elec, SEA, 2-1/16", Red Bezel
4000829	83056	Ga, Trim, Elec, SEA, 2-1/16", Purple Bezel
4000830	83057	Ga, Trim, Elec, SEA, 2-1/16", Blue Bezel
4000831	83060	Speed, Mech, SEA, 10-60MPH, 3-3/8", Wht Bezel
4000832	83061	Speed, Mech, SEA, 10-60MPH, 3-3/8", Red Bezel
4000833	83062	Speed, Mech, SEA, 10-60MPH, 3-3/8", Purple Bezel
4000834	83063	Speed, Mech, SEA, 10-60MPH, 3-3/8", Blue Bezel
4000835	83064	Speed, Mech, SEA, 10-60MPH, 3-3/8", Gray Bezel
4000836	83065	Speed, Mech, SEA, 10-60MPH, 3-3/8", Teal Bezel
4000837	83068	Ga, Press, Fuel, Elec, SEA, 0-16psi, 2-1/16", Red Bezel

Del City	Stewart Warner	Description
4000838	83069	Ga, Press, Fuel, Elec, SEA, 0-16psi, 2-1/16", Purple Bezel
4000839	83070	Ga, Press, Fuel, Elec, SEA, 0-16psi, 2-1/16", Blue Bezel
4000840	83071	Ga, Press, Fuel, Elec, SEA, 0-16psi, 2-1/16", Gray Bezel
4000841	83072	Ga, Press, Fuel, Elec, SEA, 0-16psi, 2-1/16", Teal Bezel
4000842	83300	Switch, Tmp, 200°F, 1/4" NPTF, Spade Term, Replaces 363D-D
4000843	83301	Switch, Tmp, 225°F, 1/4" NPTF, Spade Term, Replaces 363AM-D
4000844	83302	Switch, Tmp, 225°F, 1/4" NPTF, Screw Term, Replaces 363BY
4000845	83303	Switch, Tmp, 240°F, 1/4" NPTF, Screw Term, Replaces 363CP
4000846	83304	Switch, Tmp, 200°F, 3/8" NPTF, Spade Term, Replaces 363E-D
4000847	83305	Switch, Tmp, 220°F, 3/8" NPTF, Screw Term, Replaces 363AY
4000848	83306	Switch, Tmp, 235°F, 3/8" NPTF, Spade Term, Replaces 363BR
4000849	83307	Switch, Tmp, 200°F, 1/2" NPTF, Spade Term, Replaces 363F-D
4000850	83308	Switch, Tmp, 200°F, 1/2" NPTF, Screw Term, Replaces 363P
4000851	83309	Switch, Tmp, 215°F, 1/2" NPTF, Screw Term, Replaces 363AX
4000852	83310	Switch, Tmp, 225°F, 1/2" NPTF, Spade Term, Replaces 363G-F
4000853	83311	Switch, Tmp, 250°F, 1/2" NPTF, Screw Term, Replaces 363W-F
4000854	83312	Switch, Tmp, 270°F, 1/2" NPTF, Screw Term, Replaces 363AB
4000855	83313	Switch, Tmp, 225°F, M16x1.5, Spade Term, Replaces 363CL
4000856	83314	Switch, Tmp, 250°F, M16x1.5, Spade Term, Replaces 363CM
4000857	83500	HM, DC, 10-80VDC, 9999.9, 2-hole Mnt, Rect, Quartz
4000858	83501	HM, DC, 10-80VDC, 9999.9, 2-1/16", 3-hole Mnt, Quartz
4000859	83502	HM, DC, 10-80VDC, DLX, 9999.9, 2.27"
4000860	83503	HM, DC, 10-80VDC, HD, 9999.9, 2.27"
4000861	83504	HM, DC, 10-80VDC, HD+, 9999.9, 2.27", Quartz
4000862	83505	HM, DC, 10-80VDC, DLX, 9999.9, 2.50"
4000863	83506	HM, DC, 12-24VDC, 9999.9, 2-hole Mnt, Rect, Quartz
4000864	83507	HM, DC, 12-24VDC, HD+, 9999.9, 2.27", Quartz, Wht Graphics
4000865	83508	HM, DC, 12-24VDC, 9999.9, 2-1/16", 3-hole Mnt, Quartz
4000866	84000	Ga, Press, Oil, Elec, COM, 0-100psi, 2-1/16", 24V, Dual Scale
4000867	84001	Ga, Press, Oil, Elec, COM, 0-100psi, 2-1/16", 24V, Dual Scale, Metric
4000868	84002	Ga, Tmp, Cool, Elec, COM, 100-240F, 2-1/16", 24V, Dual Scale
4000869	84003	Ga, Tmp, Cool, Elec, COM, 100-240F, 2-1/16", 24V, Dual Scale, Metric
4000870	84004	Ga, Tmp, Cool, COM, 100-240F, 2-1/16", 24V, Dual Scale, Metric
4000871	84005	Ga, Tmp, Trans, Elec, COM, 100-300F, 2-1/16", 24V, Dual Scale
4000872	84006	Ga, Tmp, Trans, Elec, COM, 100-300F, 2-1/16", 24V, Dual Scale, Metric
4000873	84007	Ga, Fuel Level, Elec, COM, 240Ohm, 2-1/16", 24V
4000874	84008	Ga, Volt, Elec, COM, 20-32V, 2-1/16"
4000875	85004-25	HM, DC, Hobbs, 10-32VDC, 9999.9, Chrome Stirrup, 2.27"
4000876	85008-25	HM, DC, Hobbs, 10-32VDC, 9999.9, Chrome Stirrup, 2.5"
4000877	85010-25	HM, DC, Hobbs, 10-80VDC, 9999.9, Stirrup, Rect, Quartz
4000878	85011-13	HM, AIRCRAFT HRMETER REV B
4000879	85012-13	HM, AIRCRAFT HRMETER REV B
4000880	85013-12	HM, DC, Hobbs, 30-110VDC, 9999.9, 2-hole Mnt, Rect, Quartz
4000881	85014-02	HM, DC, Hobbs, 30-110VDC, 9999.9, 3-hole Mnt, Quartz
4000882	85015-03	HM, DC, Hobbs, 30-110VDC, 9999.9, Chrome Flush Cup, 2.27"
4000883	85017-25	HM, METER, QUARTZ PLUS, 36/80 VOLT
4000884	85019-03	HM, DC, Hobbs, 30-110VDC, 9999.9, Chrome Flush Cup, 2.5"
4000885	85021-25	HM, STIR HRMETER REV B
4000886	85023-25	HM, DC, Hobbs, 30-110VDC, 9999.9, Stirrup, Rect, Quartz
4000887	85066-03	HM, H.D. HOURMETER REV B
4000888	85093-03	HM, DC, Hobbs, 10-80VDC, 9999.9, Blk Flush Cup, 2.27"
4000889	85094-12	HM, DC, Hobbs, 10-80VDC, 9999.9, 2-hole Mnt, Rect, Quartz
4000890	85097-02	HM, DC, Hobbs, 10-80VDC, 9999.9, 3-hole Mnt, Quartz
4000891	85098-03	HM, DC, Hobbs, 10-80VDC, 9999.9, Chrome Flush Cup, 2.5"
4000892	85100-12	HM, METER, QUARTZ PLUS, 12/24 VOLT
4000893	85104-25	HM, DC, Hobbs, 10-32VDC, 99,999.9, Chrome Stirrup, 2.5"
4000894	85126-03	HM, DC, Hobbs, 10-80VDC, 99,999.9, Blk Flush Cup, 2.27"
4000895	85127-12	HM, DC, Hobbs, 10-80VDC, 99,999.9, 2-hole Mnt, Rect, Quartz
4000896	85133-03	HM, DC, Hobbs, 10-80VDC, 99,999.9, Chrome Flush Cup, 2.5"
4000897	85134-02	HM, DC, Hobbs, 30-110VDC, 99,999.9, 3-hole Mnt, Quartz

Del City	Stewart Warner	Description
4000898	85135-03	HM, DC, Hobbs, 10-80VDC, 99,999.9, Chrome Flush Cup, 2.27"
4000899	85342-03	HM, DC, Hobbs, 10-80VDC, 9999.9, Chrome Flush Cup, 2.27"
4000900	90062	Drive Joint 666, 4 Driven Shaft, Part of Kit 82951
4000901	90111	SLEEVE REV T
4000902	90567	Adptr, Nut, Brass, 5/8"-18 ID to 1/2" NPTF OD
4000903	93250	SLEEVE
4000904	93861	GEAR
4000905	94353	Ferrule, .243" dia, 1-3/8" Long, OD 13/32" (for Nut)
4000906	94354	Ferrule, .243" dia, 1-5/16" Long, OD 43/64" (for Nut)
4000907	95115	Tip Comp, .150" Core, .104 Sq, 1-21/64" Long, 63/64" Cut Comp
4000908	95374	Ferrule, .243" dia, 1-5/16" Long, OD 13/32" (for Nut)
4000909	95527	Adptr, Nut, Brass, 5/8"-18 ID to 5/8" NPTF OD
4000910	96096	SHAFT
4000911	96097	Drive Joint 666, 2 Driven Shaft, Part of Kit 82951
4000912	96127	Tip Comp, .150" Core, .187 Tang Hole, 1-9/16" Long
4000913	96196	LAMP, 12 - 16 VOLTS REV F
4000914	96537	GEAR, DRIVEN, REV J2
4000915	96786	GEAR, REV M2
4000916	96798	Tach, Handheld, Cone Rubber Tip
4000917	96799	Tach, Handheld, Cup Rubber Tip
4000918	97010	SHAFT
4000919	97708	Tool, Swage, Die, .218 hole, REV D1
4000920	98303	HM, LCD, Hobbs, 9-64VDC, 99,999.9, Mini, 4 Term, 2-hole Mnt, Rect
4000921	98304	HM, LCD, Hobbs, 9-64VDC, 99,999.9, Mini, 4 Term, 2.27" Dia
4000922	98313	HM, LCD, Hobbs, 9-64VDC, 99,999.9, Mini, 2 Term, 2-hole Mnt, Rect
4000923	98314	HM, LCD, Hobbs, 9-64VDC, 99,999.9, Chrome, 2 Term, 2.27" Dia
4000924	98877	CLUTCH
4000925	98984	Tip Comp, .150" Core, .124 Sq, 1-7/16" Long, 1" Cut Comp
4000926	101254	Tip Comp, .187" Core, .187 Tang, 2" Long, 1-5/16" Cut Comp
4000927	101452	Drive Joint 777, Drive Tip, Part of Kit 82903
4000928	101454	TIP
4000929	101456	CASE ASSM REV L
4000930	101487	Drive Joint 666, Case (Trans.), Part of Kit 82901
4000931	103618	SLEEVE ASSY REV C
4000932	104461	Tip Comp, .130" Core, .187 Tang, 3/16" Long, 3/4" Cut Comp
4000933	105133	TIP REV S
4000934	105591	DRIVE TIP
4000935	111410	Ga, Pyrom, Elec, 1500F/800C, 2", Blk Step Bezel
4000936	111411	Ga, Pyrom, Elec, 1800F, 3", Blk Step Bezel, Color Band
4000937	111412	Ga, Pyrom, Elec, 1500F, 2", Blk Custom Bezel
4000938	111413	Ga, Pyrom, Elec, 1800F/1000C, 3", Blk Step Bezel
4000939	111414	Ga, Pyrom, Elec, 1500F/800C, 2", Chrome Custom Bezel
4000940	111415	Ga, Pyrom, Elec, 1800F, 3", Chrome Custom Bezel, Color Band
4000941	111416	Ga, Pyrom, Elec, 1500F, 2", Chrome Custom Bezel
4000942	111417	Ga, Pyrom, Elec, 1800F/1000C, 3", Custom Chrome Bezel
4000943	119815	2-1/16" Pyrometer, 1600F, White Impact (E) (S)
4000944	119816	2-1/16" Trans Temp, 140-320F, White, Impact (E)(S)
4000945	119817	2-1/16" Fuel Pressure, 15 Psi., White Impact (E)(S)
4000946	119818	2-1/16" Fuel Pressure, 100 Psi., White Impact (E)(S)
4000947	119819	2-1/16" Vac/Boost, 30in-Hg/15 Psi., White Impact (M)
4000948	119820	2-1/16" Boost, 30 Psi., White Impact (M)
4000949	119821	2-1/16" Boost, 60 Psi., White Impact (M)
4000950	119822	2-1/16" Boost, 100 Psi., White (M)
4000951	119909	2-1/16" Pyrometer, 1600F, Black Impact (E) (S)
4000952	119910	2-1/16" Trans Temp, 140-320F, Black Impact (E)(S)
4000953	119911	2-1/16" Fuel Pressure, 15 Psi., Black Impact (E)(S)
4000954	119912	2-1/16" Fuel Pressure, 100 Psi., Black Impact (E)(S)
4000955	119913	2-1/16" Fuel Press, 30 Psi., Black Impact (M)
4000956	119914	2-1/16" Fuel Press, 100 Psi., Black Impact (M)
4000957	119915	2-1/16" Vac/Boost, 30in-Hg/15 Psi., Black Impact (M)

Del City	Stewart Warner	Description
4000958	119916	2-1/16" Boost, 30 Psi., Black Impact (M)
4000959	119917	2-1/16" Boost, 60 Psi., Black Impact (M)
4000960	119918	2-1/16" Boost, 100 Psi., Black Impact (M)
4000961	119919	2-1/16" Fuel Press, 30 Psi., White Impact (M)
4000962	119920	2-1/16" Fuel Press, 100 Psi., White Impact (M)
4000963	120071	3 Gauge Kit 2-1/16" Diesel Blk., Impact w/ Trans Temp,Boost,EGT (E)(S)
4000964	120072	3 Gauge Kit 2-1/16" Diesel Wht., Impact w/ Trans Temp,Boost,EGT (E)(S)
4000965	137374-10T	Tool, Swage, .104 sq on .130 core, .124 sq on .150 core, cut/crimp
4000966	170123	SCREW REV B
4000967	171885	Drive Joint 666, 4 Screws, Part of Kit 82901
4000968	172043	LAMP (G.E. 456)
4000969	172387	LAMP, REV A
4000970	178708-T	Tool, SERVICE TOOL KIT, DRIVE JOINT
4000971	400011	Drive Joint 777, Shaft, Part of Kit 82903
4000972	400012	Drive Joint 777, Shaft, Part of Kit 82903
4000973	400013	Drive Joint 777, Shaft, Part of Kit 82903
4000974	400014	Drive Joint 777, Gasket, Part of Kit 82903
4000975	400015	CASE REV B
4000976	400017	Drive Joint 777, Case, Part of Kit 82903
4000977	400210	WASHER ASY REV A
4000978	400211	Tip Comp, .130" Core, .152 Tang, 7/16" Long, 1-3/64" Cut Comp
4000979	400514	Ferrule & Bushing, .445" dia, 1-1/2" Long, OD 1/2" (for Nut)
4000980	402570	CLUTCH REV F
4000981	403343	GEAR, REV D
4000982	403344	GEAR, DRIVEN, REV F2
4000983	404350	SLEEVE
4000984	405137	Tip Comp, .187" Core, .104 Sq, 1-35/64" Long, 1-7/64" Cut Comp
4000985	406908	Tip Comp, .187" Core, .152 Tang Hole, 1-13/16" Long
4000986	407010-F	Sdr, Speed, Right Angle Adptr, Clockwise, 1:1, 5/8-18, .104 Sq
4000987	407616	Shunt, Amm, 100 Amp
4000988	408550	Adptr, Nut, Brass, 5/8"-18 ID to 3/8" NPTF OD
4000989	408712	Drive Joint 777, Case, Part of Kit 82903
4000990	408730	Drive Joint 777, Shaft, Part of Kit 82903
4000991	408758	Tip Comp, .150" Core, .152 Tang, 1-7/8" Long, 1-11/32" Cut Comp
4000992	410626	GEAR, DR, REV B
4000993	411290	Sdr, Fuel Level, Float, Brass With Clip
4000994	411335-D	Sdr, Speed, Right Angle Adptr, Counter Clockwise, 1:1, 5/8-18, .104 Sq
4000995	412208-F	Adptr, Nut, Brass, 5/8"-18 ID to 1/2" NPTF SAE Short OD
4000996	412850	Tach, Handheld, 12" Ext Shaft
4000997	412850-1	Tach, Handheld, 3" Ext Shaft
4000998	413717	Shunt, Amm, 150 Amp/300 Amp
4000999	414676	Tip Comp, .187" Core, .193 Sq Hole, 1-9/16" Long
4001000	414677	Tip Comp, .187" Core, .1835 Sq, 1-25/32" Long, 1-3/32" Cut Comp
4001001	415996	Tip Comp, .187" Core, .152 Tang, 2" Long, 1-5/16" Cut Comp
4001002	416032	SHAFT REV R
4001003	416842	GEAR, BLANK REV D
4001004	417052	Drive Joint 666, 4 Drive Shaft, Part of Kit 82951
4001005	417149	TIP
4001006	417247	BAR
4001007	417250	TIP REV H
4001008	418035	Tip Comp, .130" Core, .104 Sq, 13/18" Long, 1/16" Cut Comp
4001009	418614-100	Core, Bulk Inner, .130" Left Lay, 100 Ft
4001010	418614-1000	Core, Bulk Inner, .130" Left Lay, 1000 Ft
4001011	418614-500	Core, Bulk Inner, .130" Left Lay, 500 Ft
4001012	418615-115	Core, Bulk Inner, .187" Right Lay, 115 Ft
4001013	418615-50	Core, Bulk Inner, .187" Right Lay, 50 Ft
4001014	418615-550	Core, Bulk Inner, .187" Right Lay, 550 Ft
4001015	418811	Tip Comp, .187" Core, .187 Sq Hole, 1-1/4" Long
4001016	420125-F	Light, Warning, 12VDC
4001017	421237	SLEEVE

Del City	Stewart Warner	Description
4001018	421274	WHEEL REV D
4001019	421501	GEAR, REV B
4001020	421643	Tip Comp, .150" Core, .150 Sq, 1-3/4" Long, 1-1/16" Cut Comp
4001021	421795	Tip Comp, .150" Core, .152 Tang, 1-7/8" Long, 1-23/64" Cut Comp
4001022	422174	WASHER
4001023	423635	SLEEVE REV E
4001024	423756	SHAFT REV D
4001025	423850	SLEEVE
4001026	425451	Tip Comp, .150" Core, .104 Sq, 1-1/2" Long, 1-1/16" Cut Comp (Ford)
4001027	426056	TIP REV C
4001028	426106	Tip Comp, .187" Core, .104 Sq, 1-1/2" Long, 1-1/16" Cut Comp
4001029	426108	Tip Comp, .187" Core, .104 Sq, 2" Long, 1-5/16" Cut Comp
4001030	427410	Sdr, Fuel Level, FLOAT REV L
4001031	427828	Tip Comp, .150" Core, .187 Tang, 1-17/32" Long, 1-3/32" Cut Comp
4001032	428796	SHAFT REV D
4001033	428797	SHAFT REV E
4001034	428798	Drive Joint 777, Tip, Part of Kit 82903
4001035	428799	Drive Joint 777, Shaft, Part of Kit 82903
4001036	428819-F	Adptr, Nut, Steel, 5/8"-18 ID to 1/4" NPTF OD
4001037	428827	Tip Comp, .150" Core, .1835 Sq, 23/32" Long, 1-3/32" Cut Comp
4001038	429354	Sdr, Fuel Level, Float, Brass With Shepards Crook
4001039	429430	Tool, Ferrule Crimp, For bulk casings .243" .297" .445"
4001040	431794	TRACTOR DRIVE REV B
4001041	432975	GASKET REV B
4001042	433326	Drive Joint 777/666, Washer, Part of Kit 82901/82903
4001043	438106	Sdr, Tmp, REV E
4001044	439361-F	Sdr, Fuel Level, 90Ohm, 10-15", LH, Stud Term
4001045	439362-F	Sdr, Fuel Level, 90Ohm, 10-15", RH, Stud Term
4001046	439363-D	Sdr, Fuel Level, 90Ohm, 15.5-24", LH, Stud Term
4001047	439364-D	Sdr, Fuel Level, 90Ohm, 15.5-24", RH, Stud Term
4001048	447566	GEAR, DR, REV C
4001049	447668	GEAR, DR, REV B
4001050	448915	GEAR, DRIVEN, REV. F
4001051	448991	GEAR, REV A
4001052	810654	TIP REV F
4001053	810769	TIP REV B
4001054	810809	FERRULE ASSY REV A
4001055	810946	SHAFT REV C
4001056	811024	BUSHING
4001057	811192	Tip Comp, .187" Core, .187 Tang, 2" Long, 1-5/16" Cut Comp
4001058	811653-F	Panel, 3-Hole, 2-1/16", Chrome
4001059	811659-F	Panel, 1-Hole, 2-5/8", Chrome
4001060	812588	GEAR, REV C
4001061	813489	Shunt, Amm, 60 Amp
4001062	813783-100	Casing, Bulk Outer, .243", Vinyl Cover, Galv. Steel
4001063	814143-F	Panel, 2-Hole, 2-1/16", Chrome
4001064	816472	Drive Joint 777/666, Gear, Part of Kit 82954
4001065	816473	Drive Joint 777/666, Gear, Part of Kit 82954
4001066	816474	Drive Joint 777/666, Gear, Part of Kit 82954
4001067	816475	Drive Joint 777/666, Gear, Part of Kit 82954
4001068	816476	Drive Joint 777/666, Gear, Part of Kit 82954
4001069	816477	Drive Joint 777/666, Gear, Part of Kit 82954
4001070	816478	Drive Joint 777/666, Gear, Part of Kit 82954
4001071	816479	Drive Joint 777/666, Gear, Part of Kit 82954
4001072	816480	Drive Joint 777/666, Gear, Part of Kit 82954
4001073	816481	Drive Joint 777/666, Gear, Part of Kit 82954
4001074	816482	Drive Joint 777/666, Gear, Part of Kit 82954
4001075	816483	Drive Joint 777/666, Gear, Part of Kit 82954
4001076	816484	Drive Joint 777/666, Gear, Part of Kit 82954
4001077	816485	GEAR, REV H

Del City	Stewart Warner	Description
4001078	816487	Drive Joint 777/666, Gear, Part of Kit 82954
4001079	816488	Drive Joint 777/666, Gear, Part of Kit 82954
4001080	816490	GEAR, REV E
4001081	816491	Drive Joint 777/666, Gear, Part of Kit 82954
4001082	816492	Drive Joint 777/666, Gear, Part of Kit 82954
4001083	816493	Drive Joint 777/666, Gear, Part of Kit 82954
4001084	816494	Drive Joint 777/666, Gear, Part of Kit 82954
4001085	816647-100	Casing, Bulk Outer, .445", Vinyl Cover, Galv. Steel
4001086	817499	SHAFT ASSM
4001087	817550	SHAFT
4001088	817552	Drive Joint 777, Shaft, Part of Kit 82903
4001089	817759	Tip Comp, .203 Tang, 2-7/32" Long, 31/32" Cut Comp
4001090	817767	Tip Comp, .150 Sq, 2-7/32" Long, 31/32" Cut Comp
4001091	817769	Tip Comp, .187 Tang, 2-7/32" Long, 31/32" Cut Comp
4001092	817769-F	DRIVE TIP, REV N
4001093	817825-F	Panel, 1-Hole, 2-1/16", Chrome
4001094	818749	Tip Comp, .104 Sq, 2-7/32" Long, 31/32" Cut Comp
4001095	818749-F	DRIVE TIP, REV H
4001096	818750	Tip Comp, .152 Tang, 2-7/32" Long, 31/32" Cut Comp
4001097	818750-F	DRIVE TIP, REV H
4001098	818888-3	MAGNET & SHAFT ASSM REV. Y
4001099	818888-4	MAGNET & SHAFT REV. Y
4001100	819468	Tip Comp, .124 Sq, 2-7/32" Long, 31/32" Cut Comp
4001101	820140	WASHER, REV. B
4001102	820152	Tip Comp, .104 Sq, 2-57/64" Long, 1-41/64" Cut Comp
4001103	820153	Tip Comp, .193 Sq, 2-57/64" Long, 1-41/64" Cut Comp
4001104	820210-2	Ferrule & Ext, .445" dia, 2-19/32" Long, OD 7/8" (for Nut)
4001105	820210-4	FERRULE
4001106	820211-1	Ferrule & Bushing, .445" dia, 2" Long, OD 1/2" (for Nut)
4001107	820211-13	Ferrule, .445" dia, 2" Long, OD 1/2" (for Nut)
4001108	820211-2	Ferrule & Bushing, .445" dia, 2-11/64" Long, OD 1/2" (for Nut)
4001109	820211-4	Ferrule & Bushing, .445" dia, 2" Long, OD 1/2" (for Nut)
4001110	820213-3	Ferrule & Nut Assy, .445" dia, 1-15/64" Long, 5/8-18 Thd
4001111	820214-1	Ferrule & Nut Assy, .445" dia, 2" Long, 5/8-18 Thd
4001112	820214-2	Ferrule & Nut Assy, .445" dia, 2" Long, 5/8-18 Thd
4001113	820214-4	Ferrule & Nut Assy, .445" dia, 2" Long, 5/8-18 Thd
4001114	820214-6	Ferrule & Nut Assy, .445" dia, 2" Long, 5/8-18 Thd
4001115	820215-1	Ferrule & Nut Assy, .445" dia, 2-15/64" Long, 3/4-18 Thd (50-51)
4001116	820219-1	Tip Comp, .203 Tang, 4-3/8" Long, 3-1/4" Cut Comp
4001117	820219-2	CORE ASM.
4001118	820220-1	Tip Comp, .150 Sq, 4-1/4" Long, 3" Cut Comp
4001119	820257	TIP REV, D
4001120	820346-1	Nut, Hex, 5/8-18 Thd, ID 15/32"
4001121	820346-11	Nut, 3/4-20 Thd, ID 29/64"
4001122	820346-12	Nut, 3/4-20 Thd, ID 38/64"
4001123	820346-16	Nut, Ext Thd, 3/4-20 Thd, ID 7/16"
4001124	820346-17	NUT, REV BC
4001125	820346-20	Drive Joint 666, Nut, Part of Kit 82901
4001126	820346-22	Nut, 7/8-18 Thd, ID 11/16"
4001127	820346-23	Nut, Hex, 7/8-18 Thd, ID 11/16"
4001128	820346-4	Nut, 5/8-18 Thd, ID 15/32"
4001129	820500-11	Ferrule, .445" dia, 2-1/4" Long, 7/8-18 Thd
4001130	820500-3	Ferrule, .445" dia, 1-1/2" Long, OD 1/2" (for Nut)
4001131	820500-4	Ferrule, .445" dia, 2" Long, OD 1/2" (for Nut)
4001132	820500-7	Ferrule, .445" dia, 2-5/8" Long, OD 33/64" (for Nut)
4001133	820733-10	Ferrule, .333" dia, 1-5/16" Long, OD 43/64" (for Nut)
4001134	820733-3	Ferrule, .333" dia, 1-3/8" Long, OD 7/16" (for Nut)
4001135	820733-33	Ferrule, .333" dia, 2-1/14" Long, 7/8-18 Thd
4001136	820734-5	Ferrule, .333" dia, 2-1/14" Long, OD 43/64" (for Nut)
4001137	820734-6	Ferrule, .333" dia, 1-7/8" Long, OD 7/16" (for Nut)

Del City	Stewart Warner	Description
4001138	820739-1	BUSHING
4001139	820905-100	Casing, Dual Plastic, .333", 100 Ft Reel, .175" I.D.
4001140	821056	GEAR, DRIVEN, REV A
4001141	821146-1	Ferrule, .333" dia, 2-5/16" Long, Ford Snap-On
4001142	821207-2	SHAFT
4001143	821786-2	CASE & NUT
4001144	821871-D	Drive Tip, .150 Sq, For For 105H-D Speedo
4001145	821872-D	Drive Tip, .183 Sq, For 105H-D Speedo
4001146	821874-D	Drive Tip, .152 Tang, For 105H-D Speedo
4001147	821876	DRIVE TIP, REV C
4001148	821876-D	Drive Tip, .203 Tang, For 105H-D Speedo
4001149	822650D	Adptr, Nut, 1/8" ID to 3/8" OD, Sdr, Tmp
4001150	822651D	Adptr, Nut, 1/8" ID to 1/2" OD, Sdr, Tmp
4001151	822652D	Adptr, Nut, 1/8" ID to 1/4" OD, Sdr, Tmp
4001152	823114	Tip Comp, .130" Core, .104 Sq, 1-5/32" Long, 23/32" Cut Comp
4001153	823813	Ferrule, .333" dia, 2-1/8" Long, GM Snap-On
4001154	824012	Ferrule & Shaft, .333" dia, 3-5/8" Long, OD 7/8" (for Nut)
4001155	824520D	Adptr, Nut, 1/8" NPTF ID to M10x1.5 OD, Sdr, Press
4001156	824521D	Adptr, Nut, 1/8" NPTF ID to M12x1.5 OD, Sdr, Press
4001157	824522D	Adptr, Nut, 1/8" NPTF ID to M14x1.5 OD, Sdr, Press
4001158	824525	BUSHING REV A
4001159	825104-D	Light/Buzzer, Warning
4001160	825128-1100	Core, Bulk Inner, .150" Left Lay, 1100 Ft
4001161	825128-115	Core, Bulk Inner, .150" Left Lay, 115 Ft
4001162	825128-550	Core, Bulk Inner, .150" Left Lay, 550 Ft
4001163	825612D	Adptr, Nut, PT 1/8"-28 JIS Male, Sdr, Press
4001164	829525-2D	Adptr, Voltage, 12V Gauge to 24VDC
4001165	829525-8D	Adptr, Voltage, 12V Gauge to 32VDC
4001166	829525-9D	Adptr, Voltage, Pyromter to 24VDC
4001167	830540-39	Warning Flasher, Shutdown, Red, Silhouette
4001168	830540-41	Warning Flasher, Reverse, Amber, Silhouette
4001169	830540-69	Warning Flasher, Seat Belt, Amber, Silhouette
4001170	830540-93	FLASHER REV EB
4001171	830556-1	CASE ASSM
4001172	830561	Drive Joint 666, Sleeve (Trans End), Part of Kit 82901
4001173	831186	Drive Joint 666, 6 Sleeves, Part of Kit 82951
4001174	832212-14	Drive Joint 777/666, Gear Spur, Part of Kit 82954
4001175	832212-16	Drive Joint 777/666, Gear Spur, Part of Kit 82954
4001176	832353D	Adptr, Nut, 1/8" NPTF to M14x1.5 OD, Sdr, Tmp
4001177	832354D	Adptr, Nut, 1/8" NPTF to M16x1.5 OD, Sdr, Tmp
4001178	832465	Drive Joint 777/666, 20 Washers, Part of Kit 82951/82953
4001179	832602D	Adptr, Nut, 1/8" NPTF to M18x1.5 OD, Sdr, Tmp
4001180	832855D	Adptr, Nut, PT 1/8"-28 JIS Female, Sdr, Press
4001181	833805-100	Casing, Bulk Outer, .445", Non-Skive Cover, Galv. Steel
4001182	835251D	Adptr, Nut, 1/8" ID to 1/4" OD, Sdr, Press
4001183	835706	NUT
4001184	835707	SLEEVE
4001185	835708	CONN.BODY
4001186	836092	Sdr, Fuel Level, Float, Lifecell with Shepards Crook
4001187	873129	Clust, 4-Ga, 12V, Horiz, VM, Fuel Level, Water Tmp, Oil Press, Warn Lts
4001188	873134	Box Kit, DLX, 3-Ga Panel, Mech, VM, Oil Press, Water Tmp
4001189	873135	Box Kit, DLX, 2-Ga Panel, Mech, Oil Press, Tmp
4001190	873136	Box Kit, DLX, 3-Ga Panel, Elec, VM, Oil Press, Water Tmp, Sdrs
4001191	873137	Box Kit, DLX, 2-Ga Panel, Elec, Oil Press, Tmp, Sdrs
4001192	873138	Box Kit, TF, 3-Ga Panel, Mech,- VM, Oil Press, Wat Tmp, SS Bez
4001193	873139	Box Kit, TF, 2-Ga Panel, Mech,- Oil Press, Wat Tmp, SS Bezel
4001194	873141	Box Kit, TF, 2-Ga Panel, Mech,- Oil Press, Wat Tmp, Tubing, SS Bezel
4001195	873142	Box Kit, TF, 3-Ga Panel, Mech,- VM, Oil Press, Wat Tmp, Blk Bez
4001196	873143	Box Kit, TF, 2-Ga Panel, Mech,- Oil Press, Wat Tmp, Blk Bezel
4001197	876042	Clust, Ga Repl, 12V, Vert, VM, 10-16V

Del City	Stewart Warner	Description
4001198	876043	Clust, Ga Repl, 12V, Horiz, VM, 10-16V
4001199	876052	Clust, Ga Repl, 24V, Horiz, VM, 10-16V
4001200	876053	Clust, Ga Repl, 24V, Vert, VM, 10-16V
4001201	878089	Clust, Ga Repl, 12V, Vert, Fuel Level, 240Ohm
4001202	878090	Clust, Ga Repl, 12V, Horiz, Fuel Level, 240Ohm
4001203	878096	Clust, Ga Repl, 24V, Horiz, Fuel Level, 240Ohm
4001204	878097	Clust, Ga Repl, 24V, Vert, Fuel Level, 240Ohm
4001205	880123	Clust, Ga Repl, 12V, Vert, Water Tmp, 100-240F
4001206	880124	Clust, Ga Repl, 12V, Horiz, Water Tmp, 100-240F
4001207	880137	Clust, Ga Repl, 24V, Horiz, Water Tmp, 100-240F
4001208	880138	Clust, Ga Repl, 24V, Vert, Water Tmp, 100-240F
4001209	883106	Clust, Ga Repl, 12V, Vert, Oil Press, 0-80psi
4001210	883107	Clust, Ga Repl, 12V, Horiz, Oil Press, 0-80psi
4001211	883116	Clust, Ga Repl, 24V, Horiz, Oil Press, 0-80psi
4001212	883117	Clust, Ga Repl, 24V, Vert, Oil Press, 0-80psi
4001213	890031	GEAR
4001214	890043	GEAR, DRIVEN
4001215	890083	GEAR, DRIVEN
4001216	890084	GEAR
4001217	890085	GEAR, DRIVEN
4001218	890121	GEAR, DRIVEN
4001219	890150	GEAR
4001220	890158	GEAR
4001221	890203	GEAR
4001222	890204	GEAR
4001223	890205	GEAR
4001224	890248	GEAR, DRIVEN
4001225	890255	GEAR, DRIVEN
4001226	890269	SLEEVE
4001227	890273	GEAR, DRIVEN
4001228	890288	SLEEVE
4001229	890289	SLEEVE
4001230	890290	SLEEVE
4001231	890318	GEAR, DRIVEN
4001232	900010	Snsr, Speed, VR9000, 3", Sngl Output, Pack Metri-Pack, Mack
4001233	900030	Snsr, Speed, VR9000, 3", Sngl Output, Pack Weather-Pack, WS/Kenw
4001234	900060	Snsr, Speed, VR9000, 3", Sngl Output, Pack Weather-Pack, Intl
4001235	900100	Snsr, Speed, VR9000, 3", Dual Output, Pack Weather-Pack, Intl/Kenw
4001236	900110	Snsr, Speed, VR9000, 3", Dual Output, Pack Weather-Pack, Flnr/Pblt
4001237	98578-100	Casing, Bulk Outer, .243", No Vinyl Cover, Galv. Steel
4001238	114000	5" Tach Blk. 10,000 RPM (E) (V)
4001239	114001	5" Tach Sil. 10,000 RPM (E) (V)
4001240	114002	5" Tach Wht. 10,000 RPM (E) (V)
4001241	114003	5" Tach Blk. 8,000 RPM (E) (V)
4001242	114004	5" Tach Sil. 8,000 RPM (E) (V)
4001243	114005	5" Tach Wht. 8,000 RPM (E) (V)
4001244	114006	5" Tach Blk. 10,000 RPM (E) (H)
4001245	114007	5" Tach Sil. 10,000 RPM (E) (H)
4001246	114008	5" Tach Wht. 10,000 RPM (E) (H)
4001247	114009	5" Tach Blk. 8,000 RPM (E) (H)
4001248	114010	5" Tach Sil. 8,000 RPM (E) (H)
4001249	114011	5" Tach Wht. 8,000 RPM (E) (H)
4001253	114015	5" Tach Blk. 9,000 RPM Shift/Recall (E) (V)
4001254	114016	5" Tach Sil. 9,000 RPM Shift/Recall (E) (V)
4001255	114017	5" Tach Wht. 9,000 RPM Shift/Recall (E) (V)
4001256	114018	5" Tach Blk. 10,000 RPM Shift/Recall (E) (H)
4001257	114019	5" Tach Sil. 10,000 RPM Shift/Recall (E) (H)
4001258	114020	5" Tach Wht. 10,000 RPM Shift/Recall (E) (H)
4001259	114024	5" Circle Trk. Tach Blk. 10,000 RPM Recall (E) (H)
4001260	114025	5" Circle Trk. Tach Sil. 10,000 RPM Recall (E) (H)

Del City	Stewart Warner	Description
4001261	114026	5" Circle Trk. Tach Wht. 10,000 RPM Recall (E) (H)
4001262	114027	5" Diesel Tach, Blk, 6,000 RPM, (E)
4001263	114028	5" Diesel Tach, Blk, 6,000 RPM, (E)
4001264	114029	5" Diesel Tach, Blk, 6,000 RPM, (E)
4001265	114030	3-3/8" Diesel Tach, Blk, 6,000 RPM, (E)
4001266	114031	3-3/8" Diesel Tach, Blk, 6,000 RPM, (E)
4001267	114032	3-7/8" Diesel Tach, Blk, 6,000 RPM, (E)
4001268	114100	3-3/8" Tach Blk. 10,000 RPM (E) (V)
4001269	114101	3-3/8" Tach Sil. 10,000 RPM (E) (V)
4001270	114102	3-3/8" Tach Wht. 10,000 RPM (E) (V)
4001274	114106	3-3/8" Tach Blk. 10,000 RPM (E) (H)
4001275	114107	3-3/8" Tach Sil. 10,000 RPM (E) (H)
4001276	114108	3-3/8" Tach Wht. 10,000 RPM (E) (H)
4001277	114109	3-3/8" Tach Blk. 10,000 RPM Shift/Recall (E) (V)
4001278	114110	3-3/8" Tach Sil. 10,000 RPM Shift/Recall (E) (V)
4001279	114111	3-3/8" Tach Wht. 10,000 RPM Shift/Recall (E) (V)
4001280	114112	3-3/8" Tach Blk. 10,000 RPM Shift/Recall (E) (H)
4001281	114113	3-3/8" Tach Sil. 10,000 RPM Shift/Recall (E) (H)
4001282	114114	3-3/8" Tach Wht. 10,000 RPM Shift/Recall (E) (H)
4001283	114115	3-3/8" Tach Blk. 8,000 RPM (E) (H)
4001284	114116	3-3/8" Tach Sil. 8,000 RPM (E) (H)
4001285	114117	3-3/8" Tach Wht. 8,000 RPM (E) (H)
4001289	114203	2-5/8" Voltmeter Blk. 8-18 Volt (E)
4001290	114204	2-5/8" Voltmeter Sil. 8-18 Volt (E)
4001291	114205	2-5/8" Voltmeter Wht. 8-18 Volt (E)
4001292	114206	2-1/16" Fuel Press Blk. 1 Bar (E) (S)
4001293	114207	2-1/16" Fuel Press Sil. 1 Bar (E) (S)
4001294	114208	2-1/16" Fuel Press Wht. 1 Bar (E) (S)
4001295	114209	2-1/16" Fuel Press Blk. 7 Bar (E) (S)
4001296	114210	2-1/16" Fuel Press Sil. 7 Bar (E) (S)
4001297	114211	2-1/16" Fuel Press Wht. 7 Bar (E) (S)
4001298	114212	2-1/16" Fuel Press Blk. 15 PSI (E) (S)
4001299	114213	2-1/16" Fuel Press Sil. 15 PSI (E) (S)
4001300	114214	2-1/16" Fuel Press Wht. 15 PSI (E) (S)
4001301	114215	2-5/8" Fuel Press Blk. 15 PSI (E) (S)
4001302	114216	2-5/8" Fuel Press Sil. 15 PSI (E) (S)
4001303	114217	2-5/8" Fuel Press Wht. 15 PSI (E) (S)
4001304	114218	2-1/16" Fuel Press Blk. 100 PSI (E) (S)
4001305	114219	2-1/16" Fuel Press Sil. 100 PSI (E) (S)
4001306	114220	2-1/16" Fuel Press Wht. 100 PSI (E) (S)
4001307	114221	2-5/8" Fuel Press Blk. 100 PSI (E) (S)
4001308	114222	2-5/8" Fuel Press Sil. 100 PSI (E) (S)
4001309	114223	2-5/8" Fuel Press Wht. 100 PSI (E) (S)
4001310	114224	2-1/16" Fuel Level Blk. 0 E-90F (E)
4001311	114225	2-1/16" Fuel Level Sil. 0 E-90F (E)
4001312	114226	2-1/16" Fuel Level Wht. 0 E-90F (E)
4001313	114227	2-5/8" Fuel Level Blk. 0 E-90F (E)
4001314	114228	2-5/8" Fuel Level Sil. 0 E-90F (E)
4001315	114229	2-5/8" Fuel Level Wht. 0 E-90F (E)
4001316	114230	2-1/16" Fuel Level Blk. 73E-10F (E)
4001317	114231	2-1/16" Fuel Level Sil. 73E-10F (E)
4001318	114232	2-1/16" Fuel Level Wht. 73E-10F (E)
4001319	114233	2-5/8" Fuel Level Blk. 73E-10F (E)
4001320	114234	2-5/8" Fuel Level Sil. 73E-10F (E)
4001321	114235	2-5/8" Fuel Level Wht. 73E-10F (E)
4001325	114239	2-5/8" Fuel Level Blk. 240E-33F (E)
4001326	114240	2-5/8" Fuel Level Sil. 240E-33F (E)
4001327	114241	2-5/8" Fuel Level Wht. 240E-33F (E)
4001328	114248	2-1/16" Fuel Level Blk. 16E-158F (E)
4001329	114249	2-1/16" Fuel Level Sil. 16E-158F (E)

Del City	Stewart Warner	Description
4001330	114250	2-1/16" Fuel Level Wht. 16E-158F (E)
4001331	114251	2-5/8 " Fuel Level Blk. 16E-158F (E)
4001332	114252	2-5/8 " Fuel Level Sil. 16E-158F (E)
4001333	114253	2-5/8 " Fuel Level Wht. 16E-158F (E)
4001337	114257	2-5/8" " Oil Press Blk. 100 PSI (E) (S)
4001338	114258	2-5/8" " Oil Press Sil. 100 PSI (E) (S)
4001339	114259	2-5/8" " Oil Press Wht. 100 PSI (E) (S)
4001340	114260	2-1/16" Oil Press Blk. 7 Bar (E) (S)
4001341	114261	2-1/16" Oil Press Sil. 7 Bar (E) (S)
4001342	114262	2-1/16" Oil Press Wht. 7 Bar (E) (S)
4001343	114263	2-1/16" Oil Temp Blk. 60°C-160°C (E) (S)
4001344	114264	2-1/16" Oil Temp Sil. 60°C-160°C (E) (S)
4001345	114265	2-1/16" Oil Temp Wht. 60°C-160°C (E) (S)
4001346	114266	2-1/16" Oil Temp Blk. 140-320F (E) (S)
4001347	114267	2-1/16" Oil Temp Sil. 140-320F (E) (S)
4001348	114268	2-1/16" Oil Temp Wht. 140-320F (E) (S)
4001349	114269	2-5/8" Oil Temp Blk. 140-320F (E) (S)
4001350	114270	2-5/8" Oil Temp Sil. 140-320F (E) (S)
4001351	114271	2-5/8" Oil Temp Wht. 140-320F (E) (S)
4001355	114275	2-5/8" Water Temp Blk. 100-260F (E) (S)
4001356	114276	2-5/8" Water Temp Sil. 100-260F (E) (S)
4001357	114277	2-5/8" Water Temp Wht. 100-260F (E) (S)
4001358	114278	2-1/16" Water Temp Blk. 40°C-130°C (E) (S)
4001359	114279	2-1/16" Water Temp Sil. 40°C-130°C (E) (S)
4001360	114280	2-1/16" Water Temp Wht. 40°C-130°C (E) (S)
4001361	114281	2-1/16" Trans Temp Blk. 60°C-160°C (E) (S)
4001362	114282	2-1/16" Trans Temp Sil. 60°C-160°C (E) (S)
4001363	114283	2-1/16" Trans Temp Wht. 60°C-160°C (E) (S)
4001364	114284	2-1/16" Trans Temp Blk. 140-320F (E) (S)
4001365	114285	2-1/16" Trans Temp Sil. 140-320F (E) (S)
4001366	114286	2-1/16" Trans Temp Wht. 140-320F (E) (S)
4001367	114287	2-5/8" Trans Temp Blk. 140-320F (E) (S)
4001368	114288	2-5/8" Trans Temp Sil. 140-320F (E) (S)
4001369	114289	2-5/8" Trans Temp Wht. 140-320F (E) (S)
4001370	114300	2-1/16" Vacuum Blk. 0-30 inHg (M)
4001371	114301	2-1/16" Vacuum Sil. 0-30 inHg (M)
4001372	114302	2-1/16" Vacuum Wht. 0-30 inHg (M)
4001373	114303	2-5/8" Vacuum Blk. 0-30 inHg (M)
4001374	114304	2-5/8" Vacuum Sil. 0-30 inHg (M)
4001375	114305	2-5/8" Vacuum Wht. 0-30 inHg (M)
4001376	114306	2-1/16" Pressure, Blk. 0-200 Psi. (M)
4001377	114307	2-1/16" Pressure, Sil. 0-200 Psi. (M)
4001378	114308	2-1/16" Pressure, Wht. 0-200 Psi. (M)
4001379	114309	2-5/8" Pressure, Blk. 0-200 Psi. (M)
4001380	114310	2-5/8" Pressure, Sil. 0-200 Psi. (M)
4001381	114311	2-5/8" Pressure, Wht. 0-200 Psi. (M)
4001382	114312	2-1/16" Pressure, Blk. 0-300 Psi. (M)
4001383	114313	2-1/16" Pressure, Sil. 0-300 Psi. (M)
4001384	114314	2-1/16" Pressure, Wht. 0-300 Psi. (M)
4001385	114315	2-5/8" Pressure, Blk. 0-300 Psi. (M)
4001386	114316	2-5/8" Pressure, Sil. 0-300 Psi. (M)
4001387	114317	2-5/8" Pressure, Wht. 0-300 Psi. (M)
4001388	114318	2-1/16" Fuel Press Blk. 1 Bar (M)
4001389	114319	2-1/16" Fuel Press Sil. 1 Bar (M)
4001390	114320	2-1/16" Fuel Press Wht. 1 Bar (M)
4001391	114324	2-1/16" Fuel Press Blk. 7 Bar (M)
4001392	114325	2-1/16" Fuel Press Sil. 7 Bar (M)
4001393	114326	2-1/16" Fuel Press Wht. 7 Bar (M)
4001394	114327	2-1/16" Oil Press Blk. 7 Bar (M)
4001395	114328	2-1/16" Oil Press Sil. 7 Bar (M)

Del City	Stewart Warner	Description
4001396	114329	2-1/16" Oil Press Wht. 7 Bar (M)
4001397	114330	2-1/16" Boost Press Blk. 4 Bar (M)
4001398	114331	2-1/16" Boost Press Sil. 4 Bar (M)
4001399	114332	2-1/16" Boost Press Wht. 4 Bar (M)
4001400	114333	2-1/16" Vac/Boost Blk. 80 cmHg -1 Bar (M)
4001401	114334	2-1/16" Vac/Boost Sil. 80 cmHg -1 Bar (M)
4001402	114335	2-1/16" Vac/Boost Wht. 80 cmHg -1 Bar (M)
4001403	114336	2-1/16" Vac/Boost Blk. 80 cmHg - 3 Bar (M)
4001404	114337	2-1/16" Vac/Boost Sil. 80 cmHg - 3 Bar (M)
4001405	114338	2-1/16" Vac/Boost Wht. 80 cmHg - 3 Bar (M)
4001406	114339	2-1/16" Air Pressure Blk. 10 Bar (M)
4001407	114340	2-1/16" Air Pressure Sil. 10 Bar (M)
4001408	114341	2-1/16" Air Pressure Wht. 10 Bar (M)
4001409	114342	2-1/16" Water Temp Blk. 40°C-130°C 1.8m Cap. (M)
4001410	114343	2-1/16" Water Temp Sil. 40°C-130°C 1.8m Cap. (M)
4001411	114344	2-1/16" Water Temp Wht. 40°C-130°C 1.8m Cap. (M)
4001412	114345	2-1/16" Oil Temp Blk. 60-160°C 1.8m Cap. (M)
4001413	114346	2-1/16" Oil Temp Sil. 60-160°C 1.8m Cap. (M)
4001414	114347	2-1/16" Oil Temp Wht. 60-160°C 1.8m Cap. (M)
4001415	114373	2-1/16" Boost, 15 Psi. Blk. (M)
4001416	114374	2-1/16" Boost, 15 Psi. Sil. (M)
4001417	114375	2-1/16" Boost, 15 Psi. Wht. (M)
4001418	114376	2-1/16" Boost, 30 Psi. Blk. (M)
4001419	114377	2-1/16" Boost, 30 Psi. Sil. (M)
4001420	114378	2-1/16" Boost, 30 Psi. Wht. (M)
4001424	114382	2-1/16" Fuel Press, 30 Psi. Blk. (M)
4001425	114383	2-1/16" Fuel Press, 30 Psi. Sil. (M)
4001426	114384	2-1/16" Fuel Press, 30 Psi. Wht. (M)
4001427	114385	2-1/16" Boost, 100 Psi. Blk. (M)
4001428	114386	2-1/16" Boost, 100 Psi. Sil. (M)
4001429	114387	2-1/16" Boost, 100 Psi. Wht. (M)
4001430	114388	2-1/16" Oil Press Blk. 150 PSI (M)
4001431	114389	2-1/16" Oil Press Sil. 150 PSI (M)
4001432	114390	2-1/16" Oil Press Wht. 150 PSI (M)
4001433	114391	2-5/8" Oil Press Blk. 150 PSI (M)
4001434	114392	2-5/8" Oil Press SIL. 150 PSI (M)
4001435	114393	2-5/8" Oil Press Wht. 150 PSI (M)
4001436	114394	2-1/16" Water Temp Blk. 100-260°F 8' Cap. (M)
4001437	114395	2-1/16" Water Temp Sil. 100-260°F 8' Cap. (M)
4001438	114396	2-1/16" Water Temp Wht. 100-260°F 8' Cap. (M)
4001439	114397	2-5/8" Water Temp Blk. 100-260°F 8' Cap. (M)
4001440	114398	2-5/8" Water Temp Sil. 100-260°F 8' Cap. (M)
4001441	114399	2-5/8" Water Temp Wht. 100-260°F 8' Cap. (M)
4001442	114400	2-1/16" Pyrometer Blk. 1600F (gauge only)(E)
4001443	114401	2-1/16" Pyrometer Sil. 1600F (gauge only)(E)
4001444	114402	2-1/16" Pyrometer Wht. 1600F (gauge only)(E)
4001445	114403	2-1/16" Pyrometer Blk. 1200C (gauge only)(E)
4001446	114404	2-1/16" Pyrometer Sil. 1200C (gauge only)(E)
4001447	114405	2-1/16" Pyrometer Wht. 1200C (gauge only)(E)
4001448	114406	2-1/16" Pyrometer Blk. 2200F (gauge only)(E)
4001449	114407	2-1/16" Pyrometer Sil. 2200F (gauge only)(E)
4001450	114408	2-1/16" Pyrometer Wht. 2200F (gauge only)(E)
4001451	114500	2-1/16" Fuel Press Blk. 15 PSI (M)
4001452	114501	2-1/16" Fuel Press Sil. 15 PSI (M)
4001453	114502	2-1/16" Fuel Press Wht. 15 PSI (M)
4001454	114503	2-5/8" Fuel Press Blk. 15 PSI (M)
4001455	114504	2-5/8" Fuel Press Sil. 15 PSI (M)
4001456	114505	2-5/8" Fuel Press Wht. 15 PSI (M)
4001457	114506	2-1/16" Fuel Press Blk. 60 PSI (M)
4001458	114507	2-1/16" Fuel Press Sil. 60 PSI (M)

Del City	Stewart Warner	Description
4001459	114508	2-1/16" Fuel Press Wht. 60 PSI (M)
4001460	114509	2-5/8" Fuel Press Blk. 60 PSI (M)
4001461	114510	2-5/8" Fuel Press Sil. 60 PSI (M)
4001462	114511	2-5/8" Fuel Press Wht. 60 PSI (M)
4001463	114512	2-1/16" Fuel Press Blk. 100 PSI (M)
4001464	114513	2-1/16" Fuel Press Sil. 100 PSI (M)
4001465	114514	2-1/16" Fuel Press Wht. 100 PSI (M)
4001466	114515	2-5/8" Fuel Press Blk. 100 PSI (M)
4001467	114516	2-5/8" Fuel Press Sil. 100 PSI (M)
4001468	114517	2-5/8" Fuel Press Wht. 100 PSI (M)
4001469	114518	2-1/16" Oil Press Blk. 100 PSI (M)
4001470	114519	2-1/16" Oil Press Sil. 100 PSI (M)
4001471	114520	2-1/16" Oil Press Wht. 100 PSI (M)
4001472	114521	2-5/8" Oil Press Blk. 100 PSI (M)
4001473	114522	2-5/8" Oil Press Sil. 100 PSI (M)
4001474	114523	2-5/8" Oil Press Wht. 100 PSI (M)
4001475	114524	2-1/16" Boost Press Blk. 60 PSI (M)
4001476	114525	2-1/16" Boost Press Sil. 60 PSI (M)
4001477	114526	2-1/16" Boost Press Wht. 60 PSI (M)
4001478	114527	2-5/8" Boost Press Blk. 60 PSI (M)
4001479	114528	2-5/8" Boost Press Sil. 60 PSI (M)
4001480	114529	2-5/8" Boost Press Wht. 60 PSI (M)
4001481	114530	2-1/16" Blower Press Blk. 100 PSI (M)
4001482	114531	2-1/16" Blower Press Sil. 100 PSI (M)
4001483	114532	2-1/16" Blower Press Wht. 100 PSI (M)
4001484	114533	2-5/8" Blower Press Blk. 100 PSI (M)
4001485	114534	2-5/8" Blower Press Sil. 100 PSI (M)
4001486	114535	2-5/8" Blower Press Wht. 100 PSI (M)
4001487	114536	2-1/16" Vac/Boost Blk. 30Hg/15PSI (M)
4001488	114537	2-1/16" Vac/Boost Sil. 30Hg/15PSI (M)
4001489	114538	2-1/16" Vac/Boost Wht. 30Hg/15PSI (M)
4001490	114539	2-5/8" Vac/Boost Blk. 30Hg/15PSI (M)
4001491	114540	2-5/8" Vac/Boost Sil. 30Hg/15PSI (M)
4001492	114541	2-5/8" Vac/Boost Wht. 30Hg/15PSI (M)
4001493	114542	2-1/16" Vac/Boost Blk. 30Hg/40Psi (M)
4001494	114543	2-1/16" Vac/Boost Sil. 30Hg/40Psi (M)
4001495	114544	2-1/16" Vac/Boost Wht. 30Hg/40Psi (M)
4001496	114545	2-5/8" Vac/Boost Blk. 30Hg/40Psi (M)
4001497	114546	2-5/8" Vac/Boost Sil. 30Hg/40Psi (M)
4001498	114547	2-5/8" Vac/Boost Wht. 30Hg/40Psi (M)
4001499	114548	2-1/16" Air Pressure Blk. 150 PSI (M)
4001500	114549	2-1/16" Air Pressure Sil. 150 PSI (M)
4001501	114550	2-1/16" Air Pressure Wht. 150 PSI (M)
4001502	114551	2-5/8" Air Pressure Blk. 150 PSI (M)
4001503	114552	2-5/8" Air Pressure Sil. 150 PSI (M)
4001504	114553	2-5/8" Air Pressure Wht. 150 PSI (M)
4001505	114554	2-1/16" Water Temp Blk. 100-260F 6' Cap. (M)
4001506	114555	2-1/16" Water Temp Sil. 100-260F 6' Cap. (M)
4001507	114556	2-1/16" Water Temp Wht. 100-260F 6' Cap. (M)
4001508	114557	2-5/8" Water Temp Blk. 100-260F 6' Cap. (M)
4001509	114558	2-5/8" Water Temp Sil. 100-260F 6' Cap. (M)
4001510	114559	2-5/8" Water Temp Wht. 100-260F 6' Cap. (M)
4001511	114560	2-1/16" Water Temp Blk. 100-260F 12' Cap.(M)
4001512	114561	2-1/16" Water Temp Sil. 100-260F 12' Cap.(M)
4001513	114562	2-1/16" Water Temp Wht. 100-260F 12' Cap.(M)
4001514	114563	2-5/8" Water Temp Blk. 100-260F 12' Cap.(M)
4001515	114564	2-5/8" Water Temp Sil. 100-260F 12' Cap.(M)
4001516	114565	2-5/8" Water Temp Wht. 100-260F 12' Cap.(M)
4001517	114566	2-1/16" Oil Temp Blk. 140-320F 6' Cap. (M)
4001518	114567	2-1/16" Oil Temp Sil. 140-320F 6' Cap. (M)

Del City	Stewart Warner	Description
4001519	114568	2-1/16" Oil Temp Wht. 140-320F 6' Cap. (M)
4001520	114569	2-5/8" Oil Temp Blk. 140-320F 6' Cap. (M)
4001521	114570	2-5/8" Oil Temp Sil. 140-320F 6' Cap. (M)
4001522	114571	2-5/8" Oil Temp Wht. 140-320F 6' Cap. (M)
4001523	114572	2-1/16" Oil Temp Blk. 140-320F 12' Cap. (M)
4001524	114573	2-1/16" Oil Temp Sil. 140-320F 12' Cap. (M)
4001525	114574	2-1/16" Oil Temp Wht. 140-320F 12' Cap. (M)
4001526	114575	2-5/8" Oil Temp Blk. 140-320F 12' Cap. (M)
4001527	114576	2-5/8" Oil Temp Sil. 140-320F 12' Cap. (M)
4001528	114577	2-5/8" Oil Temp Wht. 140-320F 12' Cap. (M)
4001529	114578	2-1/16" Trans Temp Blk. 140-320F 9' Cap. (M)
4001530	114579	2-1/16" Trans Temp Sil. 140-320F 9' Cap. (M)
4001531	114580	2-1/16" Trans Temp Wht. 140-320F 9' Cap. (M)
4001532	114581	2-5/8" Trans Temp Blk. 140-320F 9' Cap. (M)
4001533	114582	2-5/8" Trans Temp Sil. 140-320F 9' Cap. (M)
4001534	114583	2-5/8" Trans Temp Wht. 140-320F 9' Cap. (M)
4001535	114584	2-1/16" Water Press Blk. 15 PSI (M)
4001536	114585	2-1/16" Water Press Sil. 15 PSI (M)
4001537	114586	2-1/16" Water Press Wht. 15 PSI (M)
4001538	114587	2-5/8" Water Press Blk. 15 PSI (M)
4001539	114588	2-5/8" Water Press Sil. 15 PSI (M)
4001540	114589	2-5/8" Water Press Wht. 15 PSI (M)
4001541	114590	2-1/16" Water Press Blk. 35 PSI (M)
4001542	114591	2-1/16" Water Press Sil. 35 PSI (M)
4001543	114592	2-1/16" Water Press Wht. 35 PSI (M)
4001544	114593	2-5/8" Water Press Blk. 35 PSI (M)
4001545	114594	2-5/8" Water Press Sil. 35 PSI (M)
4001546	114595	2-5/8" Water Press Wht. 35 PSI (M)
4001547	114603	2-1/16" Black Bezel Kit, 2-bezels/kit
4001548	114604	2-5/8" Black Bezel Kit, 2-bezels/kit
4001549	114605	3-3/8" Black Bezel Kit, 1-bezels/kit
4001550	114606	5" Black Bezel Kit, 1-bezels/kit
4001551	114611	2-1/16" Paintable Alum. Bezel Kit, 2-bezels/kit
4001552	114612	2-5/8" Paintable Alum. Bezel Kit, 2-bezels/kit
4001553	114613	3-3/8" Paintable Alum. Bezel Kit, 1-bezels/kit
4001554	114614	5" Paintable Alum. Bezel Kit, 1-bezels/kit
4001555	114615	2-1/16" Satin Silver Alum. Bezel Kit, 2-bezels/kit
4001556	114616	2-5/8" Satin Silver Alum. Kit, 2-bezels/kit
4001557	114617	3-3/8" Satin Silver Alum. Bezel Kit, 1-bezels/kit
4001558	114618	5" Satin Silver Alum. Bezel Kit, 1-bezels/kit
4001559	114623	Speedometer Reset Switch Kit
4001560	114624	In-Dash bracket for 3-3/8" & 5" Tachs-Speedo's
4001561	114625	Night Cover, AMBER, for Alert & Ultra Shift Lights
4001562	114626	Night Cover, RED, for Alert & Ultra Shift Lights
4001563	114627	Night Cover, BLUE, for Alert & Ultra Shift Lights
4001564	114634	Sender, Gas Fuel Level, Intellisensor, 6"
4001565	114635	Sender, Gas Fuel Level, Intellisensor, 7"
4001566	114636	Sender, Gas Fuel Level, Intellisensor, 8"
4001567	114637	Sender, Gas Fuel Level, Intellisensor, 9"
4001568	114638	Sender, Gas Fuel Level, Intellisensor, 10"
4001569	114639	Sender, Gas Fuel Level, Intellisensor, 11"
4001570	114640	Sender, Gas Fuel Level, Intellisensor, 12"
4001571	114641	Sender, Gas Fuel Level, Intellisensor, 13"
4001572	114642	Sender, Gas Fuel Level, Intellisensor, 14"
4001573	114643	Sender, Gas Fuel Level, Intellisensor, 15"
4001574	114644	Sender, Gas Fuel Level, Intellisensor, 16"
4001575	114645	Sender, Gas Fuel Level, Intellisensor, 17"
4001576	114646	Sender, Gas Fuel Level, Intellisensor, 18"
4001577	114647	Sender, Gas Fuel Level, Intellisensor, 19"
4001578	114648	Sender, Gas Fuel Level, Intellisensor, 20"

Del City	Stewart Warner	Description
4001579	114649	Sender, Gas Fuel Level, Intellisensor, 21"
4001580	114650	Sender, Gas Fuel Level, Intellisensor, 22"
4001581	114651	Sender, Gas Fuel Level, Intellisensor, 23"
4001582	114653	1/4" Street Probe Kit w/ 10' Wire & Kit
4001583	114654	3/16" Street Perf. Probe w/10' Wire & Kit
4001584	114655	3/16" High Performance Probe, 10' - no fittings
4001585	114656	1/4" High Performance Probe, 10' w/ fittings
4001586	114657	1/4" x 1/8" NPT Probe Installation Kit
4001587	114658	3/16" x 1/8" NPT Probe Installation Kit
4001588	114659	3/16" Probe Band Clamp Kit
4001589	114660	1/4" Probe Band Clamp Kit
4001593	114703	3-3/8" Speedo Blk. 160 MPH Elec. Prog.
4001594	114704	3-3/8" Speedo Sil. 160 MPH Elec. Prog.
4001595	114705	3-3/8" Speedo Wht.160 MPH Elec. Prog.
4001596	114706	3-3/8" Speedo Blk. 200 MPH Elec. Prog.
4001597	114707	3-3/8" Speedo Sil. 200 MPH Elec. Prog.
4001598	114708	3-3/8" Speedo Wht. 200 MPH Elec. Prog.
4001599	114709	5" Speedo Blk. 160 MPH Elec. Prog.
4001600	114710	5" Speedo Sil. 160 MPH Elec. Prog.
4001601	114711	5" Speedo Wht. 160 MPH Elec. Prog.
4001602	114712	3-3/8" Speedo Blk. 260 KPH Elec. Prog.
4001603	114713	3-3/8" Speedo Sil. 260 KPH Elec. Prog.
4001604	114714	3-3/8" Speedo Wht.260 KPH Elec. Prog.
4001605	114715	5" Speedo Blk. 260 KPH Elec. Prog
4001606	114716	5" Speedo Sil. 260 KPH Elec. Prog
4001607	114717	5" Speedo Wht. 260 KPH Elec. Prog
4001608	114829	Panel, Chrome, 1 Hole, 2"
4001609	114830	Panel, Chrome, 1 Hole, 2-5/8"
4001610	114831	Panel, Chrome, 2 Hole, 2"
4001611	114833	Panel, Chrome, 3 Hole, 2"
4001612	114834	Panel, Chrome, 3 Hole, 2-5/8"
4001613	114835	2-1/16" Chrome Cup Kit, Elec. & Mech. Gauges
4001614	114836	2-5/8" Chrome Cup kit, Elec. & Mech. Gauges
4001615	114837	2-1/16" Gray Cup Kit, Elec. & Mech. Gauges
4001616	114838	2-5/8" Gray Cup Kit, Elec. & Mech. Gauges
4001617	114839	3-3/8" & 5" Tachometer Mounting Straps
4001618	114840	Pressure 6' Nylon w/ Male & Female Comp. Fittings
4001619	114841	Pressure 16' Nylon w/ Male & Female Comp. Fittings
4001620	114842	Vacuum 6' Hose w/ "T" Fitting & 1/8"NPT Barbed Adp.
4001621	114843	3 Ft. #4- AN Braided Stainless Hose w/fittings
4001622	114844	4 Ft. #4-AN Braided Stainless Hose w/fittings
4001623	114845	6 Ft. #4-AN Braided Stainless Hose w/fittings
4001624	114846	Std. 1/8" NPTF I.D. X 3/8" NPT O.D. (Temp Sender)
4001625	114847	Std. 1/8" NPTF I.D. X 1/4" NPT O.D. (Temp Sender)
4001626	114848	Std. 1/8" NPTF I.D. X 1/2" NPT O.D. (Temp Sender)
4001627	114849	Std. 1/8" NPTF I.D. X 1/4" NPT O.D. (Pressure Sender)
4001628	114850	Metric 1/8" NPTF I.D. - M14X1.5 O.D. (Temp Sender)
4001629	114851	Metric 1/8" NPTF I.D. - M16X1.5 O.D. (Temp Sender)
4001630	114852	Metric 1/8" NPTF I.D. - M18X1.5 O.D. (Temp Sender)
4001631	114853	Metric 1/8" NPTF I.D. - M10X1K O.D. (Pressure Sender)
4001632	114854	Metric 1/8" NPTF I.D. - M12X1.5 O.D. (Pressure Sender)
4001633	114855	Metric 1/8" NPTF I.D. - M14X1.5 O.D. (Pressure Sender)
4001634	114856	PT 1/8"-28 JIS Male (Empirical Metric)(Pressure Sender)
4001635	114857	PT 1/8"-28 JIS Female (Empirical Metric)(Pressure Sender)
4001636	114858	Steel Mech Temp 5/8"-18 ID to 1/4" NPTF OD
4001637	114859	Steel Mech Temp 5/8"-18 ID to 3/8" NPTF OD
4001638	114860	Brass Mech Temp 5/8"-18 ID to 3/8" NPTF OD
4001639	114861	Brass Mech Temp 5/8"-18 ID to 3/8" NPTF OD, SAE SHORT OD
4001640	114862	Brass Mech Temp 5/8"-18 ID to 1/2" NPTF OD
4001641	114863	Brass Mech Temp 5/8"-18 ID to 5/8" NPTF OD

Del City	Stewart Warner	Description
4001642	114864	Metric Mech Temp 5/8"-18 ID to M14X1.5 OD
4001643	114865	Metric Mech Temp 5/8"-18 ID to M16X1.5 OD
4001644	114866	Metric Mech Temp 5/8"-18 ID to M18X1.5 OD
4001645	114873	Temp Sender, 1/8" NPT All Performance 90 Deg. Temp Gauges
4001646	114874	15 Psi. Fuel Pressure Sender, 90 Degree Elect.
4001647	114875	100 Psi. Electric Fuel & Oil Pressure Sender, 90 Deg. Elec.
4001648	114876	Fuel Level Sender, 240E-33.5F, SAE 5-hole
4001649	114877	Speedo Sender, AC self-powered, two wire w/ 0.104" Tip
4001650	114878	Speedo Sender, Hall Effect 8 Pulse, 12Volts w/ 0.187" Tip
4001651	114879	Adaptor, Ford Quick Disconnect for 114878
4001652	114880	.104" Square Drive Tip
4001653	114882	.187" Diameter Drive Tang
4001654	114883	.203" Diameter Drive Tang
4001655	114884	1/4" NPTF 200 Degree F Spade Terminal
4001656	114885	1/4" NPTF 225 Degree F Spade Terminal
4001657	114886	1/4" NPTF 225 Degree F Screw Terminal
4001658	114887	1/4" NPTF 240 Degree F Screw Terminal
4001659	114888	10 Psi. Pressure Switch
4001660	114889	15 Psi. Pressure Switch
4001661	114890	35 Psi. Pressure Switch
4001662	114891	60 Psi. Pressure Switch
4001663	114892	100 Psi. Pressure Switch
4001664	114900	2-1/16" Air Fuel Ratio Blk.
4001665	114901	2-1/16" Air Fuel Ratio Sil.
4001666	114902	2-1/16" Air Fuel Ratio Wht.
4001667	114903	2-5/8" Air Fuel Ratio Blk.
4001668	114904	2-5/8" Air Fuel Ratio Sil.
4001669	114905	2-5/8" Air Fuel Ratio Wht.
4001671	114907	1-5/8" Ultra-Alert Amber Warning Light
4001672	114908	1-5/8" Ultra-Alert Red Warning Light
4001673	114909	1-5/8" Ultra-Alert Blue Warning Light
4001674	114910	Red Lamp Boot Kit for Tachs & Gauges
4001675	114911	Green Lamp boot Kit for Tachs & Gauges
4001676	114912	Blue Lamp Boot kit for Tachs & Gauges
4001677	114913	Yellow Lamp Boot kit for Tachs & Gauges
4001678	114914	1-5/8" Plug-in/Add-on Amber Shift Light for tachs
4001679	114915	1-5/8" Plug-in/Add-on Red Shift Light for tachs
4001680	114916	1-5/8" Plug-in/Add-on Blue Shift Light for tachs
4001683	114920	Kit, Red LED's for all Tach & Speedo's
4001684	114921	Kit, Red LED's for all Gauges
4001685	114922	Kit, Green LED's for all Tach & Speedo's
4001686	114923	Kit, Green LED's for all Gauges
4001687	114924	Kit, Blue LED's for all Tach & Speedo's
4001688	114925	Kit, Blue LED's for all Gauges
4001689	114926	1-5/8" Ultra-Shift, Gray, W/4-Shift, Amber LED's
4001690	114927	1-5/8" Ultra-Shift, Gray, W/4-Shift, Red LED's
4001691	114928	1-5/8" Ultra-Shift, Gray, W/4-Shift, Blue LED's
4001695	114946	Ultra-Shift, Paintable, Amber LED
4001696	114947	Ultra-Shift, Paintable, Red LED
4001697	114948	Ultra-Shift, Paintable, Blue LED
4001698	114949	2-1/16" Gauge Ultra-Shift, Sil. Amber LED's
4001699	114950	2-1/16" Gauge Ultra-Shift, Sil. Red LED's
4001700	114951	2-1/16" Gauge Ultra-Shift, Sil. Blue LED's
4001701	114952	Kit, Orange LED's for all Gauges
4001702	114953	Kit, Orange LED's for all Tachs & Speedo's
4001703	114956	Kit, White LED's for all Gauges
4001704	114957	Kit, White LED's for all Tachs & Speedo's
4001705	114958	1-5/8" Ultra-Shift, Gray, w/Window Switch Contrl., Amber LED's
4001706	114959	1-5/8" Ultra-Shift, Gray, w/Window Switch Contrl., Red LED's
4001707	114960	1-5/8" Ultra-Shift, Gray, w/Window Switch Contrl., Blue LED's

Del City	Stewart Warner	Description
4001708	114961	Kit, Amber LED's for all Gauges
4001709	114962	Kit, Amber LED's for all Tachs & Speedo's
4001710	116300	2-1/16" Oil Temp Blk. 140-320°F 8' Cap. (M)
4001711	116301	2-1/16" Oil Temp Sil. 140-320°F 8' Cap. (M)
4001712	116302	2-1/16" Oil Temp Wht. 140-320°F 8' Cap. (M)
4001713	116303	2-5/8" Oil Temp Blk. 140-320°F 8' Cap. (M)
4001714	116304	2-5/8" Oil Temp Sil. 140-320°F 8' Cap. (M)
4001715	116305	2-5/8" Oil Temp Wht. 140-320°F 8' Cap. (M)
4001716	116306	2-1/16" Oil Temp Sil. 140-320°F 2' Cap. (M)
4001717	117538	2-1/16" Pyrometer, Kit, Blk. 1600F (E)(S)
4001718	119383	2-1/16" Nitrous, 1500 Psi. Blk. (M)
4001719	119384	2-1/16" Nitrous, 1500 Psi. Sil. (M)
4001720	119385	2-1/16" Nitrous, 1500 Psi. Wht. (M)
4001721	119584	2-1/16" Brake, 1500 Psi. Blk. (M)
4001722	119585	2-1/16" Brake, 1500 Psi. Sil. (M)
4001723	119586	2-1/16" Brake, 1500 Psi. Wht. (M)
4001724	119595	2-5/8" Brake, 1500 Psi. Blk. (M)
4001725	119596	2-5/8" Brake, 1500 Psi. Sil. (M)
4001726	119597	2-5/8" Brake, 1500 Psi. Wht. (M)
4001727	119601	2-5/8" Nitrous, 1500 Psi. Blk. (M)
4001728	119602	2-5/8" Nitrous, 1500 Psi. Sil. (M)
4001729	119603	2-5/8" Nitrous, 1500 Psi. Wht. (M)
4001730	119608	2-1/16" Pyrometer, Kit, Wht. 1600F (E)(S)
4001731	119609	2-1/16" Pyrometer, Kit, Sil. 1600F (E)(S)
4001732	120067	3 Gauge Kit 2-1/16" Diesel Blk., Competition w/ Trans Temp,Boost,EGT (E)(S)
4001733	120068	3 Gauge Kit 2-1/16" Diesel Wht., Competition w/ Trans Temp,Boost,EGT (E)(S)
4001737	114800	99-03 Ford Super Duty, Triple Full Pillar (2-1/16")
4001738	114808	99-03 Ford Super Duty, Dual Full Pillar (2-1/16")
4001739	114811	98-02 Dodge Ram with speaker (not 02 1500), Triple Full Pillar (2-1/16")
4001740	114813	95-00 Toyota Tacoma & 96+ 4Runner, Single Pod (2-1/16")
4001741	114816	94-97 Dodge Ram, Triple Full Pillar (2-1/16")
4001742	114817	98-02 Dodge Ram (not 02 1500), Dual Pod (2-1/16")
4001743	114818	92-97 Ford F-Series (not 97 F-150), Triple Full Pillar (2-1/16")
4001744	114822	99-04 Ford Super Duty, Dual Gauge Bezel (2-1/16")
4001745	114823	00-04 Chevy/GM FS Truck & 99 C/K, Dual Full Pillar (2-1/16")
4001746	114917	95-98 Chevy/GM FS Truck & 99 C/K, Dual Full Pillar Pod (2-1/16")
4001747	116002	94-00 Ford Mustang, Dual Gauge Bezel (2-1/16")
4001748	116042	00-03 Chevy/GM F/S Truck & 00+ SUV, Single Steering Pod (Automatic) (2-1/16")
4001749	116043	99-03 Ford Super Duty, Single Steering Pod (Automatic) (2-1/16")
4001750	116045	94-02 Dodge Ram (not 02 1500), Single Steering Pod (2-1/16")
4001751	116046	03 Dodge Ram & 02 1500, Dual Steering Pod (2-1/16")
4001752	116047	88-94 Chevy/GM F/S Truck, Dual Pod (2-1/16")
4001753	116048	88-98 Chevy/GM F/S Truck & 99 C/K, Single Pod (2-1/16")
4001754	116049	88-98 Chevy/GM F/S Truck & 99 C/K, Single Pod (2-5/8")
4001755	116051	00-03 Chevy/GM F/S Trucks & 00 Suburban, Dual Pod (2-1/16")
4001756	116052	00-03 Chevy/GM F/S Trucks & 00 Suburban, Single Pod (2-1/16")
4001757	116053	94-02 Chevy S-10 P/U & 95-98 Blazer, Dual Pod (2-1/16")
4001758	116054	94-02 Chevy S-10 P/U & 95-98 Blazer, Single Pod (2-1/16")
4001759	116055	86-93 Chevy S-10, Dual Pod (2-1/16")
4001760	116056	86-93 Dodge Ram, Dual Pod (2-1/16")
4001761	116057	86-93 Dodge Ram, Single Pod (2-1/16")
4001762	116058	94-97 Dodge Ram, Dual Pod (2-1/16")
4001763	116059	94-97 Dodge Ram, Single Pod (2-1/16")
4001764	116061	98-02 Dodge Ram (not 02 1500), Single Pod (2-1/16")
4001765	116062	97-02 Dodge Durango, Dual Pod (2-1/16")
4001766	116064	87-97 Ford F-Series (not 97 F-150), Dual Pod (2-1/16")
4001767	116065	87-97 Ford F-Series (not 97 F-150), Single Pod (2-1/16")
4001768	116066	87-97 Ford F-Series (not 97 F-150), Single Pod (2-5/8")
4001769	116067	97-03 Ford F-150 & 98-03 F-Series & Expedition, Dual Pod (2-1/16")
4001770	116068	97-03 Ford F-150 & 98-03 F-Series & Expedition, Single Pod (2-1/16")

Del City	Stewart Warner	Description
4001771	116070	99-03 Ford Super Duty, Dual Pod (2-1/16")
4001772	116071	99-03 Ford Super Duty, Single Pod (2-1/16")
4001773	116072	93-00 Ford Ranger & 95-99 Explorer, Dual Pod (2-1/16")
4001774	116076	01-02 Toyota Tacoma, Single Pod (2-1/16")
4001775	116077	88-94 Chevy/GM FS Truck, Dual Full Pillar (2-1/16")
4001776	116078	88-94 Chevy/GM FS Truck, Triple Full Pillar (2-1/16")
4001777	116079	95-98 Chevy/GM FS Truck & 99 C/K, Triple Full Pillar (2-1/16")
4001778	116080	00-03 Chevy/GM F/S Truck/Duramax, Dual Full Pillar (2-1/16")
4001779	116081	00-03 Chevy/GM F/S Truck/Duramax, Triple Full Pillar (2-1/16")
4001780	116082	94-98 Chevy S-10 & Blazer 2" Dual Full Pillar (2-1/16")
4001781	116083	86-93 Chevy S-10 2" Dual Full Pillar (2-1/16")
4001782	116084	86-93 Chevy S-10, Triple Full Pillar (2-1/16")
4001783	116085	94-97 Dodge Ram, Dual Full Pillar (2-1/16")
4001784	116086	98-02 Dodge Ram (not 02 1500), Dual Full Pillar (2-1/16")
4001785	116087	98-02 Dodge Ram (not 02 1500), Triple Full Pillar (2-1/16")
4001786	116088	98-02 Dodge Ram (Infinity Speaker) (not 02 1500), Dual Full Pillar (2-1/16")
4001787	116089	92-97 Ford F-Series (not 97 F-150), Dual Full Pillar (2-1/16")
4001788	116090	97-01 Ford F-150, Dual Full Pillar (2-1/16")
4001789	116091	97-01 Ford F-150, Triple Full Pillar (2-1/16")
4001790	116194	03-04 Dodge RAM, Dual Full Pillar (2-1/16") *Color Matched!
4001791	116195	03-04 Dodge RAM, Triple Full Pillar (2-1/16") *Color Matched!
4001792	116196	02-UP Dodge RAM, Triple Dash Pod (2-1/16")
9114012	114012	5" Tach Blk. 11,000 RPM Shift/Recall (E) (V)
9114013	114013	5" Tach Sil. 11,000 RPM Shift/Recall (E) (V)
9114014	114014	5" Tach Wht.11,000 RPM Shift/Recall (E) (V)
9114103	114103	3-3/8" Tach Blk. 8,000 RPM (E) (V)
9114104	114104	3-3/8" Tach Sil. 8,000 RPM (E) (V)
9114105	114105	3-3/8" Tach Wht. 8,000 RPM (E) (V)
9114200	114200	2-1/16" Voltmeter Blk. 8-18 Volt (E)
9114201	114201	2-1/16" Voltmeter Sil. 8-18 Volt (E)
9114202	114202	2-1/16" Voltmeter Wht. 8-18 Volt (E)
9114236	114236	2-1/16" Fuel Level Blk. 240E-33F (E)
9114237	114237	2-1/16" Fuel Level Sil. 240E-33F (E)
9114238	114238	2-1/16" Fuel Level Wht. 240E-33F (E)
9114254	114254	2-1/16" Oil Press Blk. 100 PSI (E) (S)
9114255	114255	2-1/16" Oil Press Sil. 100 PSI (E) (S)
9114256	114256	2-1/16" Oil Press Wht. 100 PSI (E) (S)
9114272	114272	2-1/16" Water Temp Blk. 100-260F (E) (S)
9114273	114273	2-1/16" Water Temp Sil. 100-260F (E) (S)
9114274	114274	2-1/16" Water Temp Wht. 100-260F (E) (S)
9114379	114379	2-1/16" Vac/Boost, Blk. 30 inHg to 25 Psi. (M)
9114380	114380	2-1/16" Vac/Boost, Sil. 30 inHg to 25 Psi. (M)
9114381	114381	2-1/16" Vac/Boost, Wht. 30 inHg to 25 Psi. (M)
9114700	114700	3-3/8" Speedo Blk. 120 MPH Elec. Prog.
9114701	114701	3-3/8" Speedo Sil. 120 MPH Elec. Prog.
9114702	114702	3-3/8" Speedo Wht.120 MPH Elec. Prog.
9114906	114906	1-5/8" Ultra-Shift Prog. Gray w/Amber LED's
9114918	114918	1-5/8" Ultra-Shift Prog Gray w/RED LED's
9114919	114919	1-5/8" Ultra-Shift Prog Gray w/BLUE LED's
9114929	114929	2-1/16" Gauge Ultra-Shift, Blk. Amber LED's
9114930	114930	2-1/16" Gauge Ultra-Shift, Blk. Red LED's
9114931	114931	2-1/16" Gauge Ultra-Shift, Blk. Blue LED's
9120395	120395	6 Gauge Kit, CTG Electric, Black
9120396	120396	6 Gauge Kit, CTG Electric, Silver
9120397	120397	6 Gauge Kit, CTG Electric, White